





CAMSHELVING

Product Specification Guide-Europe

SHELVING for LIFE®



CAMBRO
TRUSTED DURABILITY

www.cambro.com

TABLE of CONTENTS

Space Planning Quick Guides

Overall Footprint Guide	PAGE 4-5
Shelf Storage Planning Guide	6-7

Camshelving® Premium Series

General Specs, Sizes and Weight Bearing	8-9
Stationary Starter and Add-on Units	10-13
Mobile Starter Units	14
High Density Tracks, Extension Kits, Floor Fastener	15
High Density Mobile Units	16
Post and Shelf Kits	17-18
Corner Connectors, Dunnage Stands, Traverses	19

Camshelving® Basics Plus Series

General Specs, Sizes and Weight Bearing	20-21
Stationary Starter and Add-on Units	22-27
Post Kits and Shelf Kits	28-32
Corner Connectors, Dunnage Stands, Traverses	33

Optional Accessories

Unit/Shelf Storage Stabilizers

Shelf Rail Kits	34
Wall and Floor Fasteners	36

Shelf Storage Maximizers

Universal Storage Rack	37
Ultimate Sheet Pan Rack for Single Shelf	38

Shelf Storage Organizers

Shelf ID Tags	38
Divider Bars	38
Shelf Divider Panels	38

Utility Shelving Products

Ultimate Food Pan and Bakery Trolleys	39-40
Premium® Series Drying and Storage Racks	41-43
Security Cages and Units	44
Wine Racks and Wine Cradles	45-46
Wall Shelving and Dunnage Racks	47

Replacements Parts


48-50




MAXIMIZED SPACE UTILIZATION

Components have been thoughtfully designed to maximize storage space, even in space-restricted areas. Position shelves anywhere along the post, with dovetails spaced 100 mm apart.

● = Corner Connectors




Starter Unit



Starter + Add-On Unit With Shared Post


Shared Post

Space is money. Shelving units are designed to be interconnected, without compromising weight-bearing capacity all while maximizing usable storage space.




Corner Unit

Starter Unit + Add-On Unit using 1 set of Corner Connectors per shelf and 2 Dunnage Stands.



U-Shape Unit

Two Starter Units + Intermediate Shelves using 2 sets of Corner Connectors per shelf and 4 Dunnage Stands.



T-Shape Unit

Starter unit + Add-on unit using 1 set of corner connectors per shelf and 2 dunnage stands.

Corner Connectors

Convert unusable space into continuous, easy-access storage areas using corner connectors. (Corner connectors are for use only with shelves 680 - 1280 mm long for Premium Series and 765 - 1220 mm long for Basics Plus Series)

Camshelving is covered under the following US Patents:

D498,664 S, D508,646 S, D512,867 S, D623,929 S, D624,764 S, D648,582 S, D630,935 S, D648,159 S, D651,433 S, D648,160 S, D697,391 S, D727,715 S, D728,347 S, D728,348 S, D707,994 S, D739,989 S, D663,912 S, D736,488 S, D739,989 S, US 6,981,454B2, D760,519 S.

FREE CAMSHELVING® DESIGN SERVICE

Take the guesswork out of creating your perfect shelving layout. Let our in-house expert shelving consultants prepare a free layout that optimizes your space to create the most storage options.

Here's what you'll get:

- 2D Floor Plan
- 3D Floor Plan
- Itemized Product List

Need help or have questions?

Contact Customer Service or Email shelving@cambro.com.



It's Simple! To Get Started, Please Provide:

- Project Name
- Storage Room Type
freezer/cooler/dry storage
- Room(s) Dimensions (L x W x H)
- Doorway / Entryway Location & Dimension
- Obstructions (condenser / pipes)
- Additional Preferences / Requirements

SCAN HERE




Request a Free Shelving Layout




FOOTPRINT/SPACE REFERENCE GUIDE

Straight Unit: Starter Unit + Add-On Unit with Shared Posts



PREMIUM SERIES				
STARTER & ADD-ON UNIT	STARTER UNIT ACTUAL LENGTH		ADD-ON UNIT ACTUAL LENGTH	OVERALL LENGTH
600 mm	680 mm	+	635 mm	= 1315 mm
700	780	+	735	= 1515
800	880	+	835	= 1715
900	980	+	935	= 1915
1000	1080	+	1035	= 2115
1100	1180	+	1135	= 2315
1200	1280	+	1235	= 2515
1300	1380	+	1335	= 2715
1400	1480	+	1435	= 2915
1500	1580	+	1535	= 3115
1600	1680	+	1635	= 3315
1700	1780	+	1735	= 3515

Corner Unit: Starter Unit + Add-On Unit with Corner Connectors




PREMIUM SERIES				
ADD-ON UNIT	ADD-ON UNIT ACTUAL LENGTH		STARTER UNIT DEPTH	OVERALL LENGTH
600 mm	655 mm	+	400 mm	= 1055 mm
700	755	+	400	= 1155
800	855	+	400	= 1255
900	955	+	400	= 1355
1000	1055	+	400	= 1455
1100	1155	+	400	= 1555
1200	1255	+	400	= 1655

BASICS PLUS SERIES (460 MM DEPTH)				
765 mm	737 mm	+	*458 mm	= 1195 mm
915	889	+	*458	= 1347
1070	1042	+	*458	= 1500
1220	1194	+	*458	= 1652

*Actual Depth.

U-Shape Unit: Two Starter Units + Middle Shelf Kits attached with with Corner Connectors




PREMIUM SERIES				
INTERMEDIATE SHELF	INTERMEDIATE SHELF ACTUAL LENGTH		400 MM DEPTH STARTER UNIT A+B	OVERALL LENGTH
800 mm	830 mm	+	800 mm	= 1630 mm
900	930	+	800	= 1730
1000	1030	+	800	= 1830
1100	1130	+	800	= 1930
1200	1230	+	800	= 2030

BASICS PLUS SERIES				
INTERMEDIATE SHELF	INTERMEDIATE SHELF ACTUAL LENGTH		460 MM DEPTH STARTER UNIT A+B	OVERALL LENGTH
915 mm	864 mm	+	*915 mm	= 1779 mm
1070	1016	+	*915	= 1931
1220	1169	+	*915	= 2084

*Actual Depth.

BASICS PLUS SERIES

STARTER UNIT ACTUAL LENGTH		ADD-ON UNIT ACTUAL LENGTH		OVERALL LENGTH
765 mm	+	718 mm	=	1483 mm
915	+	870	=	1785
1070	+	1023	=	2093
1220	+	1175	=	2395
1375	+	1328	=	2703
1525	+	1480	=	3005
1830	+	1785	=	3615



Shared posts

PREMIUM SERIES

ADD-ON UNIT ACTUAL LENGTH		STARTER UNIT DEPTH		OVERALL LENGTH
655 mm	+	500 mm	=	1155 mm
755	+	500	=	1255
855	+	500	=	1355
955	+	500	=	1455
1055	+	500	=	1555
1155	+	500	=	1655
1255	+	500	=	1755

BASICS PLUS SERIES (540 MM DEPTH)


737 mm	+	*534 mm	=	1271 mm
889	+	*534	=	1423
1042	+	*534	=	1576
1194	+	*534	=	1728

PREMIUM SERIES

ADD-ON UNIT ACTUAL LENGTH		STARTER UNIT DEPTH		OVERALL LENGTH
655 mm	+	600 mm	=	1255 mm
755	+	600	=	1355
855	+	600	=	1455
955	+	600	=	1555
1055	+	600	=	1655
1155	+	600	=	1755
1255	+	600	=	1855

BASICS PLUS SERIES (610 MM DEPTH)

737 mm	+	*610 mm	=	1347 mm
889	+	*610	=	1499
1042	+	*610	=	1652
1194	+	*610	=	1804



Use One Dunnage Stand under each Starter and Add-On Unit.

Corner Connectors are for use only with shelves 680 - 1280 mm long for Premium Series and 765 - 1220 mm long for Basics Plus Series.

● = Corner Connectors

PREMIUM SERIES

INTERMEDIATE SHELF ACTUAL LENGTH		500 MM DEPTH STARTER UNIT A+B		OVERALL LENGTH
830 mm	+	1000 mm	=	1830 mm
930	+	1000	=	1930
1030	+	1000	=	2030
1130	+	1000	=	2130
1230	+	1000	=	2230

BASICS PLUS SERIES


INTERMEDIATE SHELF ACTUAL LENGTH		540 MM DEPTH STARTER UNIT A+B		OVERALL LENGTH
864 mm	+	*1067 mm	=	1931 mm
1016	+	*1067	=	2083
1169	+	*1067	=	2236

PREMIUM SERIES

INTERMEDIATE SHELF ACTUAL LENGTH		600 MM DEPTH STARTER UNIT A+B		OVERALL LENGTH
830 mm	+	1200 mm	=	2030 mm
930	+	1200	=	2130
1030	+	1200	=	2230
1130	+	1200	=	2330
1230	+	1200	=	2430

BASICS PLUS SERIES

INTERMEDIATE SHELF ACTUAL LENGTH		610 MM DEPTH STARTER UNIT A+B		OVERALL LENGTH
864 mm	+	*1220 mm	=	2084 mm
1016	+	*1220	=	2236
1169	+	*1220	=	2389








Use four Dunnage Stands, one under each Starter Unit and two under the bottom middle Shelf.

● = Corner Connectors

SHELF STORAGE PLANNING GUIDE

Use this guide to determine available storage space between posts based on shelf length AND where to install shelves based on height of the product(s) stored on each shelf.





Maximum Number of Shelves per Unit

POST HEIGHT	# of Shelves*
STATIONARY UNIT	
1630 or 1700 mm	14
1800 or 1830	16
2140	19
MOBILE UNIT	
1790	14

*Based on number of molded-in shelf traverse dovetails or dovetail notches.



CAMSHELVING

PREMIUM®

series

STATIONARY | MOBILE | HIGH DENSITY

- Posts and traverses have a steel core and smooth polypropylene exterior for superior strength and durability.
- Traverse dovetails are molded into posts every 10 cm.
- Polypropylene shelf plates with permanent, molded-in Camguard®, an antimicrobial technology that inhibits the growth of mold, fungus, and bacteria.
- Sturdy reinforced threaded nylon foot adjusts easily to level units.
- Withstands storage temperatures from -38° to 88°C.
- Lifetime warranty against rust and corrosion.



"Lock tab" design solidly "locks" both post and post connector together for enhanced stability.

Connectors remain engaged on posts even under the most rigorous and demanding storage conditions.



camguard.
ANTIMICROBIAL SHELF PLATES



COMPONENT

Post Connectors, Corner Connectors, Floor Fastener, Wall Fastener, Identification Tags, Full Wrap Security Cage, Single Shelf Security Cage, Ultimate #10 Can Rack, Shelf Rails, Shelf Divider Bars, Wine Cradles, and High Density Track and Extension Kits are not NSF Listed.

STARTER UNITS

Include 2 or 1 unassembled post kits and 4 or 5 shelf kits.

Stationary


3 Depths	12 Lengths		2 Heights
400 mm	680 mm	1280 mm	1700 mm
500	780	1380	1800
600	880	1480	
	980	1580	
	1080	1680	
	1180	1780	

Standard Mobile

3 Depths	5 Lengths		1 Height*
400 mm	980 mm	1280 mm	1790 mm
500	1080	1380	
600	1180		

High Density Mobile

2 Depths	5 Lengths		1 Height*
500 mm	980 mm	1280 mm	1790 mm
600	1080	1380	
	1180		



*Height includes 12,7 cm casters.

Weight Bearing Capacity

Weight must be evenly distributed across the entire shelf.

		UNIT LENGTH 680 – 1280 MM	UNIT LENGTH 1380 – 1780 MM
SINGLE UNIT	Unit only	800 kg (TUV)	600 kg (TUV)
	Shelf only	200 (TUV)	150 (TUV)
	Unit with dunnage stand*	980	740
	Bottom shelf with dunnage stand*	380	290
CORNER UNIT** with 2 dunnage stands	Unit only	810	—
	Shelf only	180	—
	Bottom shelf with dunnage stands*	270	—
MOBILE UNIT	Unit only***	340	—



**TUV CERTIFICATION
WEIGHT BEARING CAPACITY**

* Dunnage Stands add stability and increase weight bearing capacity on bottom shelf only. Highly recommended for Starter Units 1380 mm and longer, all Corner Units, U-Shape Units and units specified for heavier loads (See pages 04-05).

** Corner Connectors are for use with shelves 680 - 1280 mm long ONLY.

*** Due to the weight bearing capacity of casters, maximum weight load on an entire Mobile Unit is 340 kg.

V4PKG

4-Shelf Vented Units

V5PKG

5-Shelf Vented Units

1700
mm
HEIGHT

Starter units include 2 post kits, and 4 or 5 shelf kits. Units ship complete in 6 or 7 boxes.
Add-On units include 1 post kit and 4 or 5 shelf kits. Units ship complete in 5 or 6 boxes.



Starter

Add-On

Starter

Add-On

400 mm
DEPTH



LENGTH	CODE
680 mm	MPU4617V4PKG
780	MPU4717V4PKG
880	MPU4817V4PKG
980	MPU4917V4PKG
1080	MPU41017V4PKG
1180	MPU41117V4PKG
1280	MPU41217V4PKG
1380	MPU41317V4PKG
1480	MPU41417V4PKG
1580	MPU41517V4PKG
1680	MPU41617V4PKG
1780	MPU41717V4PKG

LENGTH	CODE
635 mm	MPA4617V4PKG
735	MPA4717V4PKG
835	MPA4817V4PKG
935	MPA4917V4PKG
1035	MPA41017V4PKG
1135	MPA41117V4PKG
1235	MPA41217V4PKG
1335	MPA41317V4PKG
1435	MPA41417V4PKG
1535	MPA41517V4PKG
1635	MPA41617V4PKG
1735	MPA41717V4PKG

500 mm
DEPTH


680 mm	MPU5617V4PKG
780	MPU5717V4PKG
880	MPU5817V4PKG
980	MPU5917V4PKG
1080	MPU51017V4PKG
1180	MPU51117V4PKG
1280	MPU51217V4PKG
1380	MPU51317V4PKG
1480	MPU51417V4PKG
1580	MPU51517V4PKG
1680	MPU51617V4PKG
1780	MPU51717V4PKG

635 mm	MPA5617V4PKG
735	MPA5717V4PKG
835	MPA5817V4PKG
935	MPA5917V4PKG
1035	MPA51017V4PKG
1135	MPA51117V4PKG
1235	MPA51217V4PKG
1335	MPA51317V4PKG
1435	MPA51417V4PKG
1535	MPA51517V4PKG
1635	MPA51617V4PKG
1735	MPA51717V4PKG

600 mm
DEPTH

680 mm	MPU6617V4PKG
780	MPU6717V4PKG
880	MPU6817V4PKG
980	MPU6917V4PKG
1080	MPU61017V4PKG
1180	MPU61117V4PKG
1280	MPU61217V4PKG
1380	MPU61317V4PKG
1480	MPU61417V4PKG
1580	MPU61517V4PKG
1680	MPU61617V4PKG
1780	MPU61717V4PKG

635 mm	MPA6617V4PKG
735	MPA6717V4PKG
835	MPA6817V4PKG
935	MPA6917V4PKG
1035	MPA61017V4PKG
1135	MPA61117V4PKG
1235	MPA61217V4PKG
1335	MPA61317V4PKG
1435	MPA61417V4PKG
1535	MPA61517V4PKG
1635	MPA61617V4PKG
1735	MPA61717V4PKG



LENGTH	CODE
680 mm	MPU4617V5PKG
780	MPU4717V5PKG
880	MPU4817V5PKG
980	MPU4917V5PKG
1080	MPU41017V5PKG
1180	MPU41117V5PKG
1280	MPU41217V5PKG
1380	MPU41317V5PKG
1480	MPU41417V5PKG
1580	MPU41517V5PKG
1680	MPU41617V5PKG
1780	MPU41717V5PKG

LENGTH	CODE
635 mm	MPA4617V5PKG
735	MPA4717V5PKG
835	MPA4817V5PKG
935	MPA4917V5PKG
1035	MPA41017V5PKG
1135	MPA41117V5PKG
1235	MPA41217V5PKG
1335	MPA41317V5PKG
1435	MPA41417V5PKG
1535	MPA41517V5PKG
1635	MPA41617V5PKG
1735	MPA41717V5PKG

680 mm	MPU5617V5PKG
780	MPU5717V5PKG
880	MPU5817V5PKG
980	MPU5917V5PKG
1080	MPU51017V5PKG
1180	MPU51117V5PKG
1280	MPU51217V5PKG
1380	MPU51317V5PKG
1480	MPU51417V5PKG
1580	MPU51517V5PKG
1680	MPU51617V5PKG
1780	MPU51717V5PKG

635 mm	MPA5617V5PKG
735	MPA5717V5PKG
835	MPA5817V5PKG
935	MPA5917V5PKG
1035	MPA51017V5PKG
1135	MPA51117V5PKG
1235	MPA51217V5PKG
1335	MPA51317V5PKG
1435	MPA51417V5PKG
1535	MPA51517V5PKG
1635	MPA51617V5PKG
1735	MPA51717V5PKG

680 mm	MPU6617V5PKG
780	MPU6717V5PKG
880	MPU6817V5PKG
980	MPU6917V5PKG
1080	MPU61017V5PKG
1180	MPU61117V5PKG
1280	MPU61217V5PKG
1380	MPU61317V5PKG
1480	MPU61417V5PKG
1580	MPU61517V5PKG
1680	MPU61617V5PKG
1780	MPU61717V5PKG

635 mm	MPA6617V5PKG
735	MPA6717V5PKG
835	MPA6817V5PKG
935	MPA6917V5PKG
1035	MPA61017V5PKG
1135	MPA61117V5PKG
1235	MPA61217V5PKG
1335	MPA61317V5PKG
1435	MPA61417V5PKG
1535	MPA61517V5PKG
1635	MPA61617V5PKG
1735	MPA61717V5PKG

Color: Speckled White (490).

S4PKG 4-Shelf Solid Units



1700
mm
HEIGHT

Starter units include 2 post kits and 4 shelf kits. Units ship complete in 6 boxes.
Add-On units include 1 post kit and 4 shelf kits. Units ship complete in 5 boxes.

Starter

Add-On

400 mm
DEPTH



LENGTH	CODE
680 mm	MPU4617S4PKG
780	MPU4717S4PKG
880	MPU4817S4PKG
980	MPU4917S4PKG
1080	MPU41017S4PKG
1180	MPU41117S4PKG
1280	MPU41217S4PKG
1380	MPU41317S4PKG
1480	MPU41417S4PKG
1580	MPU41517S4PKG
1680	MPU41617S4PKG
1780	MPU41717S4PKG

LENGTH	CODE
635 mm	MPA4617S4PKG
735	MPA4717S4PKG
835	MPA4817S4PKG
935	MPA4917S4PKG
1035	MPA41017S4PKG
1135	MPA41117S4PKG
1235	MPA41217S4PKG
1335	MPA41317S4PKG
1435	MPA41417S4PKG
1535	MPA41517S4PKG
1635	MPA41617S4PKG
1735	MPA41717S4PKG

500 mm
DEPTH

680 mm	MPU5617S4PKG
780	MPU5717S4PKG
880	MPU5817S4PKG
980	MPU5917S4PKG
1080	MPU51017S4PKG
1180	MPU51117S4PKG
1280	MPU51217S4PKG
1380	MPU51317S4PKG
1480	MPU51417S4PKG
1580	MPU51517S4PKG
1680	MPU51617S4PKG
1780	MPU51717S4PKG

635 mm	MPA5617S4PKG
735	MPA5717S4PKG
835	MPA5817S4PKG
935	MPA5917S4PKG
1035	MPA51017S4PKG
1135	MPA51117S4PKG
1235	MPA51217S4PKG
1335	MPA51317S4PKG
1435	MPA51417S4PKG
1535	MPA51517S4PKG
1635	MPA51617S4PKG
1735	MPA51717S4PKG

600 mm
DEPTH

680 mm	MPU6617S4PKG
780	MPU6717S4PKG
880	MPU6817S4PKG
980	MPU6917S4PKG
1080	MPU61017S4PKG
1180	MPU61117S4PKG
1280	MPU61217S4PKG
1380	MPU61317S4PKG
1480	MPU61417S4PKG
1580	MPU61517S4PKG
1680	MPU61617S4PKG
1780	MPU61717S4PKG



635 mm	MPA6617S4PKG
735	MPA6717S4PKG
835	MPA6817S4PKG
935	MPA6917S4PKG
1035	MPA61017S4PKG
1135	MPA61117S4PKG
1235	MPA61217S4PKG
1335	MPA61317S4PKG
1435	MPA61417S4PKG
1535	MPA61517S4PKG
1635	MPA61617S4PKG
1735	MPA61717S4PKG

Color: Speckled White (490).

VS4PKG 4-Shelf Units (3 Vented + 1 Solid)

Starter

Add-On



LENGTH	CODE
680 mm	MPU4617VS4PKG
780	MPU4717VS4PKG
880	MPU4817VS4PKG
980	MPU4917VS4PKG
1080	MPU41017VS4PKG
1180	MPU41117VS4PKG
1280	MPU41217VS4PKG
1380	MPU41317VS4PKG
1480	MPU41417VS4PKG
1580	MPU41517VS4PKG
1680	MPU41617VS4PKG
1780	MPU41717VS4PKG

LENGTH	CODE
635 mm	MPA4617VS4PKG
735	MPA4717VS4PKG
835	MPA4817VS4PKG
935	MPA4917VS4PKG
1035	MPA41017VS4PKG
1135	MPA41117VS4PKG
1235	MPA41217VS4PKG
1335	MPA41317VS4PKG
1435	MPA41417VS4PKG
1535	MPA41517VS4PKG
1635	MPA41617VS4PKG
1735	MPA41717VS4PKG

680 mm	MPU5617VS4PKG
780	MPU5717VS4PKG
880	MPU5817VS4PKG
980	MPU5917VS4PKG
1080	MPU51017VS4PKG
1180	MPU51117VS4PKG
1280	MPU51217VS4PKG
1380	MPU51317VS4PKG
1480	MPU51417VS4PKG
1580	MPU51517VS4PKG
1680	MPU51617VS4PKG
1780	MPU51717VS4PKG

635 mm	MPA5617VS4PKG
735	MPA5717VS4PKG
835	MPA5817VS4PKG
935	MPA5917VS4PKG
1035	MPA51017VS4PKG
1135	MPA51117VS4PKG
1235	MPA51217VS4PKG
1335	MPA51317VS4PKG
1435	MPA51417VS4PKG
1535	MPA51517VS4PKG
1635	MPA51617VS4PKG
1735	MPA51717VS4PKG

680 mm	MPU6617VS4PKG
780	MPU6717VS4PKG
880	MPU6817VS4PKG
980	MPU6917VS4PKG
1080	MPU61017VS4PKG
1180	MPU61117VS4PKG
1280	MPU61217VS4PKG
1380	MPU61317VS4PKG
1480	MPU61417VS4PKG
1580	MPU61517VS4PKG
1680	MPU61617VS4PKG
1780	MPU61717VS4PKG

635 mm	MPA6617VS4PKG
735	MPA6717VS4PKG
835	MPA6817VS4PKG
935	MPA6917VS4PKG
1035	MPA61017VS4PKG
1135	MPA61117VS4PKG
1235	MPA61217VS4PKG
1335	MPA61317VS4PKG
1435	MPA61417VS4PKG
1535	MPA61517VS4PKG
1635	MPA61617VS4PKG
1735	MPA61717VS4PKG

PREMIUM®
SERIES

V4PKG

4-Shelf Vented Units



1800
mm
HEIGHT

Starter units include 2 post kits and 4 or 5 shelf kits. Units ship complete in 6 or 7 boxes.
Add-On units include 1 post kit and 4 or 5 shelf kits. Units ship complete in 5 or 6 boxes.

Starter

Add-On

400 mm
DEPTH



LENGTH	CODE
680 mm	MPU4617V4PKG
780	MPU4717V4PKG
880	MPU4817V4PKG
980	MPU4917V4PKG
1080	MPU41017V4PKG
1180	MPU41117V4PKG
1280	MPU41217V4PKG
1380	MPU41317V4PKG
1480	MPU41417V4PKG
1580	MPU41517V4PKG
1680	MPU41617V4PKG
1780	MPU41717V4PKG

LENGTH	CODE
635 mm	MPA4617V4PKG
735	MPA4717V4PKG
835	MPA4817V4PKG
935	MPA4917V4PKG
1035	MPA41017V4PKG
1135	MPA41117V4PKG
1235	MPA41217V4PKG
1335	MPA41317V4PKG
1435	MPA41417V4PKG
1535	MPA41517V4PKG
1635	MPA41617V4PKG
1735	MPA41717V4PKG

500 mm
DEPTH

680 mm	MPU5617V4PKG
780	MPU5717V4PKG
880	MPU5817V4PKG
980	MPU5917V4PKG
1080	MPU51017V4PKG
1180	MPU51117V4PKG
1280	MPU51217V4PKG
1380	MPU51317V4PKG
1480	MPU51417V4PKG
1580	MPU51517V4PKG
1680	MPU51617V4PKG
1780	MPU51717V4PKG

635 mm	MPA5617V4PKG
735	MPA5717V4PKG
835	MPA5817V4PKG
935	MPA5917V4PKG
1035	MPA51017V4PKG
1135	MPA51117V4PKG
1235	MPA51217V4PKG
1335	MPA51317V4PKG
1435	MPA51417V4PKG
1535	MPA51517V4PKG
1635	MPA51617V4PKG
1735	MPA51717V4PKG

600 mm
DEPTH

680 mm	MPU6617V4PKG
780	MPU6717V4PKG
880	MPU6817V4PKG
980	MPU6917V4PKG
1080	MPU61017V4PKG
1180	MPU61117V4PKG
1280	MPU61217V4PKG
1380	MPU61317V4PKG
1480	MPU61417V4PKG
1580	MPU61517V4PKG
1680	MPU61617V4PKG
1780	MPU61717V4PKG



635 mm	MPA6617V4PKG
735	MPA6717V4PKG
835	MPA6817V4PKG
935	MPA6917V4PKG
1035	MPA61017V4PKG
1135	MPA61117V4PKG
1235	MPA61217V4PKG
1335	MPA61317V4PKG
1435	MPA61417V4PKG
1535	MPA61517V4PKG
1635	MPA61617V4PKG
1735	MPA61717V4PKG

V5PKG

5-Shelf Vented Units

Starter

Add-On



LENGTH	CODE
680 mm	MPU4617V5PKG
780	MPU4717V5PKG
880	MPU4817V5PKG
980	MPU4917V5PKG
1080	MPU41017V5PKG
1180	MPU41117V5PKG
1280	MPU41217V5PKG
1380	MPU41317V5PKG
1480	MPU41417V5PKG
1580	MPU41517V5PKG
1680	MPU41617V5PKG
1780	MPU41717V5PKG

LENGTH	CODE
635 mm	MPA4617V5PKG
735	MPA4717V5PKG
835	MPA4817V5PKG
935	MPA4917V5PKG
1035	MPA41017V5PKG
1135	MPA41117V5PKG
1235	MPA41217V5PKG
1335	MPA41317V5PKG
1435	MPA41417V5PKG
1535	MPA41517V5PKG
1635	MPA41617V5PKG
1735	MPA41717V5PKG

680 mm	MPU5617V5PKG
780	MPU5717V5PKG
880	MPU5817V5PKG
980	MPU5917V5PKG
1080	MPU51017V5PKG
1180	MPU51117V5PKG
1280	MPU51217V5PKG
1380	MPU51317V5PKG
1480	MPU51417V5PKG
1580	MPU51517V5PKG
1680	MPU51617V5PKG
1780	MPU51717V5PKG

635 mm	MPA5617V5PKG
735	MPA5717V5PKG
835	MPA5817V5PKG
935	MPA5917V5PKG
1035	MPA51017V5PKG
1135	MPA51117V5PKG
1235	MPA51217V5PKG
1335	MPA51317V5PKG
1435	MPA51417V5PKG
1535	MPA51517V5PKG
1635	MPA51617V5PKG
1735	MPA51717V5PKG

680 mm	MPU6617V5PKG
780	MPU6717V5PKG
880	MPU6817V5PKG
980	MPU6917V5PKG
1080	MPU61017V5PKG
1180	MPU61117V5PKG
1280	MPU61217V5PKG
1380	MPU61317V5PKG
1480	MPU61417V5PKG
1580	MPU61517V5PKG
1680	MPU61617V5PKG
1780	MPU61717V5PKG

635 mm	MPA6617V5PKG
735	MPA6717V5PKG
835	MPA6817V5PKG
935	MPA6917V5PKG
1035	MPA61017V5PKG
1135	MPA61117V5PKG
1235	MPA61217V5PKG
1335	MPA61317V5PKG
1435	MPA61417V5PKG
1535	MPA61517V5PKG
1635	MPA61617V5PKG
1735	MPA61717V5PKG

Color: Speckled White (490).


S4PKG 4-Shelf Solid Units

1800
mm
HEIGHT

Starter units include 2 post kits and 4 shelf kits. Units ship complete in 6 boxes.
Add-On units include 1 post kit and 4 shelf kits. Units ship complete in 5 boxes.


Starter

400 mm
DEPTH




LENGTH	CODE
680 mm	MPU4617S4PKG
780	MPU4717S4PKG
880	MPU4817S4PKG
980	MPU4917S4PKG
1080	MPU41017S4PKG
1180	MPU41117S4PKG
1280	MPU41217S4PKG
1380	MPU41317S4PKG
1480	MPU41417S4PKG
1580	MPU41517S4PKG
1680	MPU41617S4PKG
1780	MPU41717S4PKG

Add-On




LENGTH	CODE
635 mm	MPA4617S4PKG
735	MPA4717S4PKG
835	MPA4817S4PKG
935	MPA4917S4PKG
1035	MPA41017S4PKG
1135	MPA41117S4PKG
1235	MPA41217S4PKG
1335	MPA41317S4PKG
1435	MPA41417S4PKG
1535	MPA41517S4PKG
1635	MPA41617S4PKG
1735	MPA41717S4PKG

Starter



LENGTH	CODE
680 mm	MPU4617VS4PKG
780	MPU4717VS4PKG
880	MPU4817VS4PKG
980	MPU4917VS4PKG
1080	MPU41017VS4PKG
1180	MPU41117VS4PKG
1280	MPU41217VS4PKG
1380	MPU41317VS4PKG
1480	MPU41417VS4PKG
1580	MPU41517VS4PKG
1680	MPU41617VS4PKG
1780	MPU41717VS4PKG

Add-On



LENGTH	CODE
635 mm	MPA4617VS4PKG
735	MPA4717VS4PKG
835	MPA4817VS4PKG
935	MPA4917VS4PKG
1035	MPA41017VS4PKG
1135	MPA41117VS4PKG
1235	MPA41217VS4PKG
1335	MPA41317VS4PKG
1435	MPA41417VS4PKG
1535	MPA41517VS4PKG
1635	MPA41617VS4PKG
1735	MPA41717VS4PKG

500 mm
DEPTH

LENGTH	CODE
680 mm	MPU5617S4PKG
780	MPU5717S4PKG
880	MPU5817S4PKG
980	MPU5917S4PKG
1080	MPU51017S4PKG
1180	MPU51117S4PKG
1280	MPU51217S4PKG
1380	MPU51317S4PKG
1480	MPU51417S4PKG
1580	MPU51517S4PKG
1680	MPU51617S4PKG
1780	MPU51717S4PKG

LENGTH	CODE
635 mm	MPA5617S4PKG
735	MPA5717S4PKG
835	MPA5817S4PKG
935	MPA5917S4PKG
1035	MPA51017S4PKG
1135	MPA51117S4PKG
1235	MPA51217S4PKG
1335	MPA51317S4PKG
1435	MPA51417S4PKG
1535	MPA51517S4PKG
1635	MPA51617S4PKG
1735	MPA51717S4PKG

LENGTH	CODE
680 mm	MPU5617VS4PKG
780	MPU5717VS4PKG
880	MPU5817VS4PKG
980	MPU5917VS4PKG
1080	MPU51017VS4PKG
1180	MPU51117VS4PKG
1280	MPU51217VS4PKG
1380	MPU51317VS4PKG
1480	MPU51417VS4PKG
1580	MPU51517VS4PKG
1680	MPU51617VS4PKG
1780	MPU51717VS4PKG

LENGTH	CODE
635 mm	MPA5617VS4PKG
735	MPA5717VS4PKG
835	MPA5817VS4PKG
935	MPA5917VS4PKG
1035	MPA51017VS4PKG
1135	MPA51117VS4PKG
1235	MPA51217VS4PKG
1335	MPA51317VS4PKG
1435	MPA51417VS4PKG
1535	MPA51517VS4PKG
1635	MPA51617VS4PKG
1735	MPA51717VS4PKG

600 mm
DEPTH

LENGTH	CODE
680 mm	MPU6617S4PKG
780	MPU6717S4PKG
880	MPU6817S4PKG
980	MPU6917S4PKG
1080	MPU61017S4PKG
1180	MPU61117S4PKG
1280	MPU61217S4PKG
1380	MPU61317S4PKG
1480	MPU61417S4PKG
1580	MPU61517S4PKG
1680	MPU61617S4PKG
1780	MPU61717S4PKG

LENGTH	CODE
635 mm	MPA6617S4PKG
735	MPA6717S4PKG
835	MPA6817S4PKG
935	MPA6917S4PKG
1035	MPA61017S4PKG
1135	MPA61117S4PKG
1235	MPA61217S4PKG
1335	MPA61317S4PKG
1435	MPA61417S4PKG
1535	MPA61517S4PKG
1635	MPA61617S4PKG
1735	MPA61717S4PKG

LENGTH	CODE
680 mm	MPU6617VS4PKG
780	MPU6717VS4PKG
880	MPU6817VS4PKG
980	MPU6917VS4PKG
1080	MPU61017VS4PKG
1180	MPU61117VS4PKG
1280	MPU61217VS4PKG
1380	MPU61317VS4PKG
1480	MPU61417VS4PKG
1580	MPU61517VS4PKG
1680	MPU61617VS4PKG
1780	MPU61717VS4PKG



LENGTH	CODE
635 mm	MPA6617VS4PKG
735	MPA6717VS4PKG
835	MPA6817VS4PKG
935	MPA6917VS4PKG
1035	MPA61017VS4PKG
1135	MPA61117VS4PKG
1235	MPA61217VS4PKG
1335	MPA61317VS4PKG
1435	MPA61417VS4PKG
1535	MPA61517VS4PKG
1635	MPA61617VS4PKG
1735	MPA61717VS4PKG

Color: Speckled White (490).

V4PKG 4-Shelf Vented Mobile Units

S4PKG 4-Shelf Solid Mobile Units

Mobile starter units include 2 mobile post kits, 4 shelf kits vented or solid and 4 swivel casters with total locking brake. Units ship complete in 6 boxes.



1790
mm*
HEIGHT

400 mm
DEPTH

CODE	DIMENSIONS D x L x H*
MPMU4917V4PKG	400 x 980 x 1790 mm
MPMU41017V4PKG	400 x 1080 x 1790
MPMU41117V4PKG	400 x 1180 x 1790
MPMU41217V4PKG	400 x 1280 x 1790
MPMU41317V4PKG	400 x 1380 x 1790

400 mm
DEPTH

CODE	DIMENSIONS D x L x H*
MPMU4917S4PKG	400 x 980 x 1790 mm
MPMU41017S4PKG	400 x 1080 x 1790
MPMU41117S4PKG	400 x 1180 x 1790
MPMU41217S4PKG	400 x 1280 x 1790
MPMU41317S4PKG	400 x 1380 x 1790

500 mm
DEPTH

MPMU5917V4PKG	500 x 980 x 1790 mm
MPMU51017V4PKG	500 x 1080 x 1790
MPMU51117V4PKG	500 x 1180 x 1790
MPMU51217V4PKG	500 x 1280 x 1790
MPMU51317V4PKG	500 x 1380 x 1790

500 mm
DEPTH

MPMU5917S4PKG	500 x 980 x 1790 mm
MPMU51017S4PKG	500 x 1080 x 1790
MPMU51117S4PKG	500 x 1180 x 1790
MPMU51217S4PKG	500 x 1280 x 1790
MPMU51317S4PKG	500 x 1380 x 1790

600 mm
DEPTH

MPMU6917V4PKG	600 x 980 x 1790 mm
MPMU61017V4PKG	600 x 1080 x 1790
MPMU61117V4PKG	600 x 1180 x 1790
MPMU61217V4PKG	600 x 1280 x 1790
MPMU61317V4PKG	600 x 1380 x 1790

600 mm
DEPTH

MPMU6917S4PKG	600 x 980 x 1790 mm
MPMU61017S4PKG	600 x 1080 x 1790
MPMU61117S4PKG	600 x 1180 x 1790
MPMU61217S4PKG	600 x 1280 x 1790
MPMU61317S4PKG	600 x 1380 x 1790

High Density Floor Track Kits

Each kit ships complete in 1 box with aluminum raised track rails and stainless steel hardware required to complete installation.

CODE	DESCRIPTION	CASE PACK
Full Track Kits		
CSMHDTK10	3,05 m Track for 3 Mobile Units*	1
CSMHDTK12	3,66 m Track for 4 Mobile Units*	1
CSMHDTK145	4,42 m Track for 5 Mobile Units*	1

Color: Silver (000). *Based on 600 mm deep mobile units.
Full Track Kits include: Track rails, rail joiners, end plates, 8 stainless steel leveling feet (for stationary units) and required hardware.

CODE	DESCRIPTION	CASE PACK
Track Extension Kits		
CSMHDTKE4	1,38 m Track Extension	1
CSMHDTKE5	1,53 m Track Extension	1
CSMHDTKE6	1,83 m Track Extension	1

Color: Silver (000). **Extension Track Kits include:** Track rails (1 set), 2 rail joiners, and required hardware.



Track rail (underside) shown with end plate installed.



Track rail (underside) shown with track rail joiner partially installed.


It is highly recommended to install a stationary starter unit every 4,5 m of track to further stabilize the system.

High Density Floor Fastener

Secure stationary unit front posts with rails directly to the floor for added safety and stability where required. Made of stainless steel. Bolts not included.

CODE	DIMENSION D x L x H
CSHDFF	35 x 108 x 13 mm

Case Pack: 4 **Color:** Silver (000).



Hole diameter 0,95 cm.

High Density Caster With Donut Bumper



CODE	SIZE
MPMCHD	127 mm


Case Pack: 2 **Color:** Gray (000).



V4 4-Shelf Vented High Density Mobile Units

Units include 2 mobile post kits, 4 shelf kits, 4 high density casters and 4 high density bumpers. Units ship complete in 6 boxes.

1790
mm
HEIGHT




500 mm
DEPTH

CODE	DIMENSIONS D x L x H*
MPHU5917V4PKG	500 x 980 x 1790 mm
MPHU51017V4PKG	500 x 1080 x 1790
MPHU51117V4PKG	500 x 1180 x 1790
MPHU51217V4PKG	500 x 1280 x 1790
MPHU51317V4PKG	500 x 1380 x 1790

600 mm
DEPTH

MPHU6917V4PKG	600 x 980 x 1790 mm
MPHU61017V4PKG	600 x 1080 x 1790
MPHU61117V4PKG	600 x 1180 x 1790
MPHU61217V4PKG	600 x 1280 x 1790
MPHU61317V4PKG	600 x 1380 x 1790

S4 4-Shelf Solid High Density Mobile Units



500 mm
DEPTH

CODE	DIMENSIONS D x L x H*
MPHU5917S4PKG	500 x 980 x 1790 mm
MPHU51017S4PKG	500 x 1080 x 1790
MPHU51117S4PKG	500 x 1180 x 1790
MPHU51217S4PKG	500 x 1280 x 1790
MPHU51317S4PKG	500 x 1380 x 1790


600 mm
DEPTH

MPHU6917S4PKG	600 x 980 x 1790 mm
MPHU61017S4PKG	600 x 1080 x 1790
MPHU61117S4PKG	600 x 1180 x 1790
MPHU61217S4PKG	600 x 1280 x 1790
MPHU61317S4PKG	600 x 1380 x 1790

High Density Mobile Post Kits

Includes 2 mobile posts, 1 top post connector and 1 bottom post connector, 2 high density casters and donut bumpers. Ships unassembled in 1 box. Mobile and stationary posts are not interchangeable.

1790
mm
HEIGHT



500 mm
DEPTH

CODE	DIMENSIONS D x H*
MPMPKHD50177	500 x 1790 mm


600 mm
DEPTH

MPMPKHD60177	600 x 1790 mm
--------------	---------------

Color: Speckled White (490). * Includes 127 mm casters.

Stationary Post Kits

Includes 2 stationary posts, 1 top post connector and 1 bottom post connector. Ships **unassembled** in 1 box. Mobile and stationary posts are not interchangeable.



1700 mm
HEIGHT

CODE	DIMENSIONS D x H
MPPK30170	300 x 1700 mm
MPPK40170	400 x 1700
MPPK50170	500 x 1700
MPPK60170	600 x 1700

1800 mm
HEIGHT

MPPK30180	300 x 1800 mm
MPPK40180	400 x 1800
MPPK50180	500 x 1800
MPPK60180	600 x 1800


2140 mm
HEIGHT

MPPK30214	300 x 2140 mm
MPPK40214	400 x 2140
MPPK50214	500 x 2140
MPPK60214	600 x 2140



Standard Mobile Post Kits

Includes 2 mobile posts, 1 top post connector and 1 bottom post connector and casters. Ships **unassembled** in 1 box. Mobile and stationary posts are not interchangeable.



1790 mm
HEIGHT

CODE	DIMENSIONS D x H*
MPMPK40177	400 x 1790 mm
MPMPK50177	500 x 1790
MPMPK60177	600 x 1790




Color: Speckled White (490). *Height includes 127 mm caster.

V1

Single Vented Shelf Kits

Includes 2 shelf traverses and vented or solid shelf plates. Fits mobile or stationary units. Ships in 1 box.



300 mm
DEPTH

CODE	DIMENSIONS D x L
MPSK3060V1	300 x 600 mm
MPSK3070V1	300 x 700
MPSK3080V1	300 x 800
MPSK3090V1	300 x 900
MPSK30100V1	300 x 1000
MPSK30110V1	300 x 1100
MPSK30120V1	300 x 1200
MPSK30130V1	300 x 1300
MPSK30140V1	300 x 1400
MPSK30150V1	300 x 1500
MPSK30160V1	300 x 1600
MPSK30170V1	300 x 1700

400 mm
DEPTH

MPSK4060V1	400 x 600 mm
MPSK4070V1	400 x 700
MPSK4080V1	400 x 800
MPSK4090V1	400 x 900
MPSK40100V1	400 x 1000
MPSK40110V1	400 x 1100
MPSK40120V1	400 x 1200
MPSK40130V1	400 x 1300
MPSK40140V1	400 x 1400
MPSK40150V1	400 x 1500
MPSK40160V1	400 x 1600
MPSK40170V1	400 x 1700

500 mm
DEPTH

MPSK5060V1	500 x 600 mm
MPSK5070V1	500 x 700
MPSK5080V1	500 x 800
MPSK5090V1	500 x 900
MPSK50100V1	500 x 1000
MPSK50110V1	500 x 1100
MPSK50120V1	500 x 1200
MPSK50130V1	500 x 1300
MPSK50140V1	500 x 1400
MPSK50150V1	500 x 1500
MPSK50160V1	500 x 1600
MPSK50170V1	500 x 1700


600 mm
DEPTH

MPSK6060V1	600 x 600 mm
MPSK6070V1	600 x 700
MPSK6080V1	600 x 800
MPSK6090V1	600 x 900
MPSK60100V1	600 x 1000
MPSK60110V1	600 x 1100
MPSK60120V1	600 x 1200
MPSK60130V1	600 x 1300
MPSK60140V1	600 x 1400
MPSK60150V1	600 x 1500
MPSK60160V1	600 x 1600
MPSK60170V1	600 x 1700

S1

Single Solid Shelf Kits

Includes 2 shelf traverses and vented or solid shelf plates. Fits mobile or stationary units. Ships in 1 box.



300 mm
DEPTH

CODE	DIMENSIONS D x L
MPSK3060S1	300 x 600 mm
MPSK3070S1	300 x 700
MPSK3080S1	300 x 800
MPSK3090S1	300 x 900
MPSK30100S1	300 x 1000
MPSK30110S1	300 x 1100
MPSK30120S1	300 x 1200
MPSK30130S1	300 x 1300
MPSK30140S1	300 x 1400
MPSK30150S1	300 x 1500
MPSK30160S1	300 x 1600
MPSK30170S1	300 x 1700

400 mm
DEPTH

MPSK4060S1	400 x 600 mm
MPSK4070S1	400 x 700
MPSK4080S1	400 x 800
MPSK4090S1	400 x 900
MPSK40100S1	400 x 1000
MPSK40110S1	400 x 1100
MPSK40120S1	400 x 1200
MPSK40130S1	400 x 1300
MPSK40140S1	400 x 1400
MPSK40150S1	400 x 1500
MPSK40160S1	400 x 1600
MPSK40170S1	400 x 1700

500 mm
DEPTH

MPSK5060S1	500 x 600 mm
MPSK5070S1	500 x 700
MPSK5080S1	500 x 800
MPSK5090S1	500 x 900
MPSK50100S1	500 x 1000
MPSK50110S1	500 x 1100
MPSK50120S1	500 x 1200
MPSK50130S1	500 x 1300
MPSK50140S1	500 x 1400
MPSK50150S1	500 x 1500
MPSK50160S1	500 x 1600
MPSK50170S1	500 x 1700

600 mm
DEPTH

MPSK6060S1	600 x 600 mm
MPSK6070S1	600 x 700
MPSK6080S1	600 x 800
MPSK6090S1	600 x 900
MPSK60100S1	600 x 1000
MPSK60110S1	600 x 1100
MPSK60120S1	600 x 1200
MPSK60130S1	600 x 1300
MPSK60140S1	600 x 1400
MPSK60150S1	600 x 1500
MPSK60160S1	600 x 1600
MPSK60170S1	600 x 1700

Color: Speckled White (490).

Corner Connectors


For use only with add-on units or intermediate shelves up to 1220 mm long. Unique patented design ensures maximum shelf space utilization. Use 1 set per shelf to connect starter and add-on units in corners. Connect 4 or 5 intermediate shelves between 2 starter units (2 sets required per shelf).

CODE	DESCRIPTION
MPCC1	1 Set for 1 shelf
MPCC8	8 Sets for 4 shelves
MPCC10	10 Sets for 5 shelves

Color: Speckled White (490).



4 each MPCC1 (1 set)



1 each MPCC8 (8 sets)

Bottom Shelf Dunnage Stands

Increase weight bearing capacity on bottom shelf only. Add to any shelf length. Highly recommended for starter units 1380 mm and longer and all corner units, intermediate units and units specified for heavier load volume on and off bottom shelves.


Bottom Shelf with Dunnage Stand

UNIT LENGTH	WEIGHT BEARING
Standard Unit	
680 to 1280 mm	380 kg
1380 to 1780	290
Corner Unit with 2 Dunnage Stands	
680 to 1280 mm	270

CODE	DIMENSIONS D x H
Dunnage Stand – Low (bottom shelf installed on lowest post dovetails)	
MPDS30H16	300 x 190 mm
MPDS40H16	400 x 190
MPDS50H16	500 x 190
MPDS60H16	600 x 190

Dunnage Stand – Tall (bottom shelf installed on 2nd set up of post dovetails)	
MPDS30H30	300 x 289 mm
MPDS40H30	400 x 289
MPDS50H30	500 x 289
MPDS60H30	600 x 289

Case Pack: 1 Color: Speckled White (490).



Shelf Traverses

Available in single or double packs. Use a single set to add an open shelf for divider bars or drying racks. Add single traverse on the back of the unit for extra support when significant space is required between the bottom and second shelf or when placing rolling equipment under the first shelf.

LENGTH	SINGLE PACK CODE*	DOUBLE PACK CODE**
680 mm	MPTR60	MPTR602PK
780	MPTR70	MPTR702PK
880	MPTR80	MPTR802PK
980	MPTR90	MPTR902PK
1080	MPTR100	MPTR1002PK
1180	MPTR110	MPTR1102PK
1280	MPTR120	MPTR1202PK
1380	MPTR130	MPTR1302PK
1480	MPTR140	—
1580	MPTR150	—
1680	MPTR160	—
1780	MPTR170	—

*Case Pack: 1 **Case Pack: 2 Color: Speckled White (490).



CAMSHELVING

BASICS® PLUS

series

STATIONARY

- Posts and traverses made of a revolutionary, extremely strong, composite material with a smooth, easy to clean surface.
- Attach left and right traverse dovetails to each post to secure shelf traverses every 10,2 cm.
- Removable polypropylene shelf plates with permanent, molded-in Camguard®, an antimicrobial technology that inhibits the growth of mold, fungus, and bacteria.
- Sturdy reinforced threaded nylon foot adjusts easily to level units.
- Withstands storage temperatures from -38° to 88°C.
- Lifetime warranty against rust and corrosion.



camguard.
ANTIMICROBIAL SHELF PLATES



COMPONENT

Post Connectors, Corner Connectors, Floor Fastener, Wall Fastener, Shelf Rails, Single Shelf Security Cage, Shelf Divider Panels, Wine Cradles and Identification Tags are not NSF listed.


STARTER UNITS

Ship complete in 1 box. Includes factory assembled post frames for quicker assembly.

Stationary

4 Depths	7 Lengths		3 Heights
360* mm	765 mm	1375 mm	1630 mm
460	915	1525	1830
540	1070	1830	2140
610	1220		

*Only available for 765 to 1220 mm lengths.



Weight Bearing Capacity

Weight must be evenly distributed across the entire shelf.

		UNIT LENGTH 765 – 1220 MM	UNIT LENGTH 1375 – 1830 MM
SINGLE UNIT	Unit only	800 kg (TUV)	800 kg (TUV)
	Shelf only	190 (TUV)	180 (TUV)
	Unit with dunnage stand*	885	880
	Bottom shelf with dunnage stand*	275	260
CORNER UNIT** With 2 Dunnage Stands	Unit only	590	—
	Shelf only	130	—
	Bottom shelf with dunnage stands*	200	—



TUV CERTIFICATION WEIGHT BEARING CAPACITY

* Dunnage Stands add stability and increase weight bearing capacity on bottom shelf only. Highly recommended for Starter Units 1375 mm and longer, all Corner Units, U-Shape Units and units specified for heavier loads (See pages 04-05).

** Corner Connectors are for use with shelves 765 – 1220 mm long ONLY.



V4

4-Shelf Vented Units



1630
mm
HEIGHT

Starter units include 2 factory assembled post kits, 8 or 10 traverses, traverse dovetails and shelf plates.
Add-On units include 1 factory assembled post kit, 8 or 10 traverses, traverse dovetails and shelf plates.
Units ship complete in 1 box.

Starter

Add-On

360 mm
DEPTH



LENGTH	CODE
765 mm	CBU143064V4
915	CBU143664V4
1070	CBU144264V4
1220	CBU144864V4

LENGTH	CODE
718 mm	CBA143064V4
870	CBA143664V4
1023	CBA144264V4
1175	CBA144864V4

460 mm
DEPTH

765 mm	CBU183064V4
915	CBU183664V4
1070	CBU184264V4
1220	CBU184864V4
1375	CBU185464V4
1525	CBU186064V4
1830	CBU187264V4

718 mm	CBA183064V4
870	CBA183664V4
1023	CBA184264V4
1175	CBA184864V4
1328	CBA185464V4
1480	CBA186064V4
1778	CBA187264V4

540 mm
DEPTH

765 mm	CBU213064V4
915	CBU213664V4
1070	CBU214264V4
1220	CBU214864V4
1375	CBU215464V4
1525	CBU216064V4
1830	CBU217264V4

718 mm	CBA213064V4
870	CBA213664V4
1023	CBA214264V4
1175	CBA214864V4
1328	CBA215464V4
1480	CBA216064V4
1778	CBA217264V4

610 mm
DEPTH

765 mm	CBU243064V4
915	CBU243664V4
1070	CBU244264V4
1220	CBU244864V4
1375	CBU245464V4
1525	CBU246064V4
1830	CBU247264V4

718 mm	CBA243064V4
870	CBA243664V4
1023	CBA244264V4
1175	CBA244864V4
1328	CBA245464V4
1480	CBA246064V4
1778	CBA247264V4



Color: Brushed Graphite (580).

V5

5-Shelf Vented Units

Starter

Add-On



LENGTH	CODE
765 mm	CBU143064V5
915	CBU143664V5
1070	CBU144264V5
1220	CBU144864V5

LENGTH	CODE
718 mm	CBA143064V5
870	CBA143664V5
1023	CBA144264V5
1175	CBA144864V5

765 mm	CBU183064V5
915	CBU183664V5
1070	CBU184264V5
1220	CBU184864V5
1375	CBU185464V5
1525	CBU186064V5
1830	CBU187264V5

718 mm	CBA183064V5
870	CBA183664V5
1023	CBA184264V5
1175	CBA184864V5
1328	CBA185464V5
1480	CBA186064V5
1778	CBA187264V5

765 mm	CBU213064V5
915	CBU213664V5
1070	CBU214264V5
1220	CBU214864V5
1375	CBU215464V5
1525	CBU216064V5
1830	CBU217264V5

718 mm	CBA213064V5
870	CBA213664V5
1023	CBA214264V5
1175	CBA214864V5
1328	CBA215464V5
1480	CBA216064V5
1778	CBA217264V5

765 mm	CBU243064V5
915	CBU243664V5
1070	CBU244264V5
1220	CBU244864V5
1375	CBU245464V5
1525	CBU246064V5
1830	CBU247264V5

718 mm	CBA243064V5
870	CBA243664V5
1023	CBA244264V5
1175	CBA244864V5
1328	CBA245464V5
1480	CBA246064V5
1778	CBA247264V5

S4 4-Shelf Solid Units


1630

mm
HEIGHT


360

mm
DEPTH

Starter



Add-On



LENGTH	CODE
765 mm	CBU143064S4
915	CBU143664S4
1070	CBU144264S4
1220	CBU144864S4

LENGTH	CODE
718 mm	CBA143064S4
870	CBA143664S4
1023	CBA144264S4
1175	CBA144864S4

(3 Vented + 1 Solid Shelf)


VS4 4-Shelf Units

Starter units include 2 factory assembled post kits, 8 traverses, traverse dovetails and shelf plates.


Add-On units include 1 factory assembled post kit, 8 traverses, traverse dovetails and shelf plates.

Units ship complete in 1 box.

Starter



Add-On



LENGTH	CODE
765 mm	CBU143064VS4
915	CBU143664VS4
1070	CBU144264VS4
1220	CBU144864VS4

LENGTH	CODE
718 mm	CBA143064VS4
870	CBA143664VS4
1023	CBA144264VS4
1175	CBA144864VS4

460

mm
DEPTH

765 mm	CBU183064S4
915	CBU183664S4
1070	CBU184264S4
1220	CBU184864S4
1375	CBU185464S4
1525	CBU186064S4
1830	CBU187264S4

718 mm	CBA183064S4
870	CBA183664S4
1023	CBA184264S4
1175	CBA184864S4
1328	CBA185464S4
1480	CBA186064S4
1778	CBA187264S4

765 mm	CBU183064VS4
915	CBU183664VS4
1070	CBU184264VS4
1220	CBU184864VS4
1375	CBU185464VS4
1525	CBU186064VS4
1830	CBU187264VS4

718 mm	CBA183064VS4
870	CBA183664VS4
1023	CBA184264VS4
1175	CBA184864VS4
1328	CBA185464VS4
1480	CBA186064VS4
1778	CBA187264VS4

540

mm
DEPTH

765 mm	CBU213064S4
915	CBU213664S4
1070	CBU214264S4
1220	CBU214864S4
1375	CBU215464S4
1525	CBU216064S4
1830	CBU217264S4

718 mm	CBA213064S4
870	CBA213664S4
1023	CBA214264S4
1175	CBA214864S4
1328	CBA215464S4
1480	CBA216064S4
1778	CBA217264S4

765 mm	CBU213064VS4
915	CBU213664VS4
1070	CBU214264VS4
1220	CBU214864VS4
1375	CBU215464VS4
1525	CBU216064VS4
1830	CBU217264VS4

718 mm	CBA213064VS4
870	CBA213664VS4
1023	CBA214264VS4
1175	CBA214864VS4
1328	CBA215464VS4
1480	CBA216064VS4
1778	CBA217264VS4

610

mm
DEPTH

765 mm	CBU243064S4
915	CBU243664S4
1070	CBU244264S4
1220	CBU244864S4
1375	CBU245464S4
1525	CBU246064S4
1830	CBU247264S4

718 mm	CBA243064S4
870	CBA243664S4
1023	CBA244264S4
1175	CBA244864S4
1328	CBA245464S4
1480	CBA246064S4
1778	CBA247264S4

765 mm	CBU243064VS4
915	CBU243664VS4
1070	CBU244264VS4
1220	CBU244864VS4
1375	CBU245464VS4
1525	CBU246064VS4
1830	CBU247264VS4

718 mm	CBA243064VS4
870	CBA243664VS4
1023	CBA244264VS4
1175	CBA244864VS4
1328	CBA245464VS4
1480	CBA246064VS4
1778	CBA247264VS4

Color: Brushed Graphite (580).

V4

4-Shelf Vented Units



1830
mm
HEIGHT

Starter units include 2 factory assembled post kits, 8 or 10 traverses, traverse dovetails and shelf plates.
Add-On units include 1 factory assembled post kit, 8 or 10 traverses, traverse dovetails and shelf plates.
Units ship complete in 1 box.

Starter

Add-On

360 mm
DEPTH



LENGTH	CODE
765 mm	CBU143072V4
915	CBU143672V4
1070	CBU144272V4
1220	CBU144872V4

LENGTH	CODE
718 mm	CBA143072V4
870	CBA143672V4
1023	CBA144272V4
1175	CBA144872V4

460 mm
DEPTH

765 mm	CBU183072V4
915	CBU183672V4
1070	CBU184272V4
1220	CBU184872V4
1375	CBU185472V4
1525	CBU186072V4
1830	CBU187272V4

718 mm	CBA183072V4
870	CBA183672V4
1023	CBA184272V4
1175	CBA184872V4
1328	CBA185472V4
1480	CBA186072V4
1778	CBA187272V4

540 mm
DEPTH

765 mm	CBU213072V4
915	CBU213672V4
1070	CBU214272V4
1220	CBU214872V4
1375	CBU215472V4
1525	CBU216072V4
1830	CBU217272V4

718 mm	CBA213072V4
870	CBA213672V4
1023	CBA214272V4
1175	CBA214872V4
1328	CBA215472V4
1480	CBA216072V4
1778	CBA217272V4

610 mm
DEPTH

765 mm	CBU243072V4
915	CBU243672V4
1070	CBU244272V4
1220	CBU244872V4
1375	CBU245472V4
1525	CBU246072V4
1830	CBU247272V4

718 mm	CBA243072V4
870	CBA243672V4
1023	CBA244272V4
1175	CBA244872V4
1328	CBA245472V4
1480	CBA246072V4
1778	CBA247272V4



Color: Brushed Graphite (580).

V5

5-Shelf Vented Units

Starter

Add-On



LENGTH	CODE
765 mm	CBU143072V5
915	CBU143672V5
1070	CBU144272V5
1220	CBU144872V5

LENGTH	CODE
718 mm	CBA143072V5
870	CBA143672V5
1023	CBA144272V5
1175	CBA144872V5

765 mm	CBU183072V5
915	CBU183672V5
1070	CBU184272V5
1220	CBU184872V5
1375	CBU185472V5
1525	CBU186072V5
1830	CBU187272V5

718 mm	CBA183072V5
870	CBA183672V5
1023	CBA184272V5
1175	CBA184872V5
1328	CBA185472V5
1480	CBA186072V5
1778	CBA187272V5

765 mm	CBU213072V5
915	CBU213672V5
1070	CBU214272V5
1220	CBU214872V5
1375	CBU215472V5
1525	CBU216072V5
1830	CBU217272V5

718 mm	CBA213072V5
870	CBA213672V5
1023	CBA214272V5
1175	CBA214872V5
1328	CBA215472V5
1480	CBA216072V5
1778	CBA217272V5

765 mm	CBU243072V5
915	CBU243672V5
1070	CBU244272V5
1220	CBU244872V5
1375	CBU245472V5
1525	CBU246072V5
1830	CBU247272V5

718 mm	CBA243072V5
870	CBA243672V5
1023	CBA244272V5
1175	CBA244872V5
1328	CBA245472V5
1480	CBA246072V5
1778	CBA247272V5

S4 4-Shelf Solid Units

VS4 4-Shelf Units

(3 Vented + 1 Solid Shelf)


Starter units include 2 factory assembled post kits, 8 traverses, traverse dovetails and shelf plates.

Add-On units include 1 factory assembled post kit, 8 traverses, traverse dovetails and shelf plates.


Units ship complete in 1 box.

1830
mm
HEIGHT

Starter


360
mm
DEPTH


Add-On




LENGTH	CODE
765 mm	CBU143072S4
915	CBU143672S4
1070	CBU144272S4
1220	CBU144872S4

LENGTH	CODE
718 mm	CBA143072S4
870	CBA143672S4
1023	CBA144272S4
1175	CBA144872S4

Starter



Add-On



LENGTH	CODE
765 mm	CBU143072VS4
915	CBU143672VS4
1070	CBU144272VS4
1220	CBU144872VS4

LENGTH	CODE
718 mm	CBA143072VS4
870	CBA143672VS4
1023	CBA144272VS4
1175	CBA144872VS4

460
mm
DEPTH

765 mm	CBU183072S4
915	CBU183672S4
1070	CBU184272S4
1220	CBU184872S4
1375	CBU185472S4
1525	CBU186072S4
1830	CBU187272S4

718 mm	CBA183072S4
870	CBA183672S4
1023	CBA184272S4
1175	CBA184872S4
1328	CBA185472S4
1480	CBA186072S4
1778	CBA187272S4

765 mm	CBU183072VS4
915	CBU183672VS4
1070	CBU184272VS4
1220	CBU184872VS4
1375	CBU185472VS4
1525	CBU186072VS4
1830	CBU187272VS4

718 mm	CBA183072VS4
870	CBA183672VS4
1023	CBA184272VS4
1175	CBA184872VS4
1328	CBA185472VS4
1480	CBA186072VS4
1778	CBA187272VS4

540
mm
DEPTH

765 mm	CBU213072S4
915	CBU213672S4
1070	CBU214272S4
1220	CBU214872S4
1375	CBU215472S4
1525	CBU216072S4
1830	CBU217272S4

718 mm	CBA213072S4
870	CBA213672S4
1023	CBA214272S4
1175	CBA214872S4
1328	CBA215472S4
1480	CBA216072S4
1778	CBA217272S4

765 mm	CBU213072VS4
915	CBU213672VS4
1070	CBU214272VS4
1220	CBU214872VS4
1375	CBU215472VS4
1525	CBU216072VS4
1830	CBU217272VS4

718 mm	CBA213072VS4
870	CBA213672VS4
1023	CBA214272VS4
1175	CBA214872VS4
1328	CBA215472VS4
1480	CBA216072VS4
1778	CBA217272VS4

610
mm
DEPTH

765 mm	CBU243072S4
915	CBU243672S4
1070	CBU244272S4
1220	CBU244872S4
1375	CBU245472S4
1525	CBU246072S4
1830	CBU247272S4

718 mm	CBA243072S4
870	CBA243672S4
1023	CBA244272S4
1175	CBA244872S4
1328	CBA245472S4
1480	CBA246072S4
1778	CBA247264S4

765 mm	CBU243072VS4
915	CBU243672VS4
1070	CBU244272VS4
1220	CBU244872VS4
1375	CBU245472VS4
1525	CBU246072VS4
1830	CBU247272VS4

718 mm	CBA243072VS4
870	CBA243672VS4
1023	CBA244272VS4
1175	CBA244872VS4
1328	CBA245472VS4
1480	CBA246072VS4
1778	CBA247272VS4

Color: Brushed Graphite (580).


V4 4-Shelf Vented Units

V5 5-Shelf Vented Units

2140
mm
HEIGHT

Starter units include 2 factory assembled post kits, 8 or 10 traverses, traverse dovetails and shelf plates.
Add-On units include 1 factory assembled post kit, 8 or 10 traverses, traverse dovetails and shelf plates.
Units ship complete in 1 box.


Starter



460 mm
DEPTH


LENGTH	CODE
765 mm	CBU183084V4
915	CBU183684V4
1070	CBU184284V4
1220	CBU184884V4
1375	CBU185484V4
1525	CBU186084V4

Add-On




LENGTH	CODE
718 mm	CBA183084V4
870	CBA183684V4
1023	CBA184284V4
1175	CBA184884V4
1328	CBA185484V4
1480	CBA186084V4

Starter



LENGTH	CODE
765 mm	CBU183084V5
915	CBU183684V5
1070	CBU184284V5
1220	CBU184884V5
1375	CBU185484V5
1525	CBU186084V5

Add-On



LENGTH	CODE
718 mm	CBA183084V5
870	CBA183684V5
1023	CBA184284V5
1175	CBA184884V5
1328	CBA185484V5
1480	CBA186084V5

540 mm
DEPTH

765 mm	CBU213084V4
915	CBU213684V4
1070	CBU214284V4
1220	CBU214884V4
1375	CBU215484V4
1525	CBU216084V4

718 mm	CBA213084V4
870	CBA213684V4
1023	CBA214284V4
1175	CBA214884V4
1328	CBA215484V4
1480	CBA216084V4

765 mm	CBU213084V5
915	CBU213684V5
1070	CBU214284V5
1220	CBU214884V5
1375	CBU215484V5
1525	CBU216084V5

718 mm	CBA213084V5
870	CBA213684V5
1023	CBA214284V5
1175	CBA214884V5
1328	CBA215484V5
1480	CBA216084V5

610 mm
DEPTH

765 mm	CBU243084V4
915	CBU243684V4
1070	CBU244284V4
1220	CBU244884V4
1375	CBU245484V4
1525	CBU246084V4

718 mm	CBA243084V4
870	CBA243684V4
1023	CBA244284V4
1175	CBA244884V4
1328	CBA245484V4
1480	CBA246084V4

765 mm	CBU243084V5
915	CBU243684V5
1070	CBU244284V5
1220	CBU244884V5
1375	CBU245484V5
1525	CBU246084V5

718 mm	CBA243084V5
870	CBA243684V5
1023	CBA244284V5
1175	CBA244884V5
1328	CBA245484V5
1480	CBA246084V5

Color: Brushed Graphite (580).

S4 4-Shelf Solid Units

2140


mm
HEIGHT

Starter units include 2 factory assembled post kits, 8 or 10 traverses, traverse dovetails and shelf plates.

Add-On units include 1 factory assembled post kit, 8 or 10 traverses, traverse dovetails and shelf plates.

Units ship complete in 1 box.

Starter




460

mm
DEPTH

LENGTH	CODE
765 mm	CBU183084S4
915	CBU183684S4
1070	CBU184284S4
1220	CBU184884S4
1375	CBU185484S4
1525	CBU186084S4

Add-On



LENGTH	CODE
718 mm	CBA183084S4
870	CBA183684S4
1023	CBA184284S4
1175	CBA184884S4
1328	CBA185484S4
1480	CBA186084S4

540

mm
DEPTH

765 mm	CBU213084S4
915	CBU213684S4
1070	CBU214284S4
1220	CBU214884S4
1375	CBU215484S4
1525	CBU216084S4

718 mm	CBA213084S4
870	CBA213684S4
1023	CBA214284S4
1175	CBA214884S4
1328	CBA215484S4
1480	CBA216084S4

610


mm
DEPTH

765 mm	CBU243084S4
915	CBU243684S4
1070	CBU244284S4
1220	CBU244884S4
1375	CBU245484S4
1525	CBU246084S4

718 mm	CBA243084S4
870	CBA243684S4
1023	CBA244284S4
1175	CBA244884S4
1328	CBA245484S4
1480	CBA246084S4


S5 5-Shelf Solid Units

Starter



LENGTH	CODE
765 mm	CBU183084S5
915	CBU183684S5
1070	CBU184284S5
1220	CBU184884S5
1375	CBU185484S5
1525	CBU186084S5

Add-On



LENGTH	CODE
718 mm	CBA183084S5
870	CBA183684S5
1023	CBA184284S5
1175	CBA184884S5
1328	CBA185484S5
1480	CBA186084S5

765 mm	CBU213084S5
915	CBU213684S5
1070	CBU214284S5
1220	CBU214884S5
1375	CBU215484S5
1525	CBU216084S5

718 mm	CBA213084S5
870	CBA213684S5
1023	CBA214284S5
1175	CBA214884S5
1328	CBA215484S5
1480	CBA216084S5

765 mm	CBU243084S5
915	CBU243684S5
1070	CBU244284S5
1220	CBU244884S5
1375	CBU245484S5
1525	CBU246084S5

718 mm	CBA243084S5
870	CBA243684S5
1023	CBA244284S5
1175	CBA244884S5
1328	CBA245484S5
1480	CBA246084S5

Color: Brushed Graphite (580).


2140
mm
HEIGHT

VS4 4-Shelf Units

(3 Vented + 1 Solid Shelf)

Starter units include 2 factory assembled post kits, 8 or 10 traverses, traverse dovetails and shelf plates.
Add-On units include 1 factory assembled post kit, 8 or 10 traverses, traverse dovetails and shelf plates.
Units ship complete in 1 box.


Starter



460 mm
DEPTH

LENGTH	CODE
765 mm	CBU183084VS4
915	CBU183684VS4
1070	CBU184284VS4
1220	CBU184884VS4
1375	CBU185484VS4
1525	CBU186084VS4

Add-On




LENGTH	CODE
718 mm	CBA183084VS4
870	CBA183684VS4
1023	CBA184284VS4
1175	CBA184884VS4
1328	CBA185484VS4
1480	CBA186084VS4

VS5 5-Shelf Units


(4 Vented + 1 Solid Shelf)

Starter



LENGTH	CODE
765 mm	CBU183084VS5
915	CBU183684VS5
1070	CBU184284VS5
1220	CBU184884VS5
1375	CBU185484VS5
1525	CBU186084VS5

Add-On



LENGTH	CODE
718 mm	CBA183084VS5
870	CBA183684VS5
1023	CBA184284VS5
1175	CBA184884VS5
1328	CBA185484VS5
1480	CBA186084VS5

540 mm
DEPTH

765 mm	CBU213084VS4
915	CBU213684VS4
1070	CBU214284VS4
1220	CBU214884VS4
1375	CBU215484VS4
1525	CBU216084VS4

718 mm	CBA213084VS4
870	CBA213684VS4
1023	CBA214284VS4
1175	CBA214884VS4
1328	CBA215484VS4
1480	CBA216084VS4

765 mm	CBU213084VS5
915	CBU213684VS5
1070	CBU214284VS5
1220	CBU214884VS5
1375	CBU215484VS5
1525	CBU216084VS5

718 mm	CBA213084VS5
870	CBA213684VS5
1023	CBA214284VS5
1175	CBA214884VS5
1328	CBA215484VS5
1480	CBA216084VS5

610 mm
DEPTH

765 mm	CBU243084VS4
915	CBU243684VS4
1070	CBU244284VS4
1220	CBU244884VS4
1375	CBU245484VS4
1525	CBU246084VS4

718 mm	CBA243084VS4
870	CBA243684VS4
1023	CBA244284VS4
1175	CBA244884VS4
1328	CBA245484VS4
1480	CBA246084VS4

765 mm	CBU243084VS5
915	CBU243684VS5
1070	CBU244284VS5
1220	CBU244884VS5
1375	CBU245484VS5
1525	CBU246084VS5

718 mm	CBA243084VS5
870	CBA243684VS5
1023	CBA244284VS5
1175	CBA244884VS5
1328	CBA245484VS5
1480	CBA246084VS5

Color: Brushed Graphite (580).

Stationary Post Kits

Includes 2 stationary posts, 1 top and bottom post connector and post connector wedges. Ships unassembled in 1 box.



1630 mm
HEIGHT

CODE	DIMENSIONS D x H
CBPK1464	360 x 1630 mm
CBPK1864	460 x 1630 mm
CBPK2164	540 x 1630
CBPK2464	610 x 1630

1830 mm
HEIGHT

CBPK1472	360 x 1830 mm
CBPK1872	460 x 1830 mm
CBPK2172	540 x 1830
CBPK2472	610 x 1830

2140 mm
HEIGHT

CBPK1884	460 x 2140 mm
CBPK2184	540 x 2140
CBPK2484	610 x 2140

Color: Brushed Graphite (580).


V1

Single Vented Shelf Kits

S1

Single Solid Shelf Kits

Includes 2 shelf traverses, traverse dovetails and vented or solid shelf plates. Ships in 1 box.



360^{mm}
DEPTH

CODE	DIMENSIONS D x L
CBSK1430V1	360 x 765 mm
CBSK1436V1	360 x 915
CBSK1442V1	360 x 1070
CBSK1448V1	360 x 1220

460^{mm}
DEPTH


CBSK1830V1	460 x 765 mm
CBSK1836V1	460 x 915
CBSK1842V1	460 x 1070
CBSK1848V1	460 x 1220
CBSK1854V1	460 x 1375
CBSK1860V1	460 x 1525
CBSK1872V1	460 x 1830

540^{mm}
DEPTH

CBSK2130V1	540 x 765 mm
CBSK2136V1	540 x 915
CBSK2142V1	540 x 1070
CBSK2148V1	540 x 1220
CBSK2154V1	540 x 1375
CBSK2160V1	540 x 1525
CBSK2172V1	540 x 1830

610^{mm}
DEPTH

CBSK2430V1	610 x 765 mm
CBSK2436V1	610 x 915
CBSK2442V1	610 x 1070
CBSK2448V1	610 x 1220
CBSK2454V1	610 x 1375
CBSK2460V1	610 x 1525
CBSK2472V1	610 x 1830



360^{mm}
DEPTH

CODE	DIMENSIONS D x L
CBSK1430S1	360 x 765 mm
CBSK1436S1	360 x 915
CBSK1442S1	360 x 1070
CBSK1448S1	360 x 1220

460^{mm}
DEPTH

CBSK1830S1	460 x 765 mm
CBSK1836S1	460 x 915
CBSK1842S1	460 x 1070
CBSK1848S1	460 x 1220
CBSK1854S1	460 x 1375
CBSK1860S1	460 x 1525
CBSK1872S1	460 x 1830

540^{mm}
DEPTH

CBSK2130S1	540 x 765 mm
CBSK2136S1	540 x 915
CBSK2142S1	540 x 1070
CBSK2148S1	540 x 1220
CBSK2154S1	540 x 1375
CBSK2160S1	540 x 1525
CBSK2172S1	540 x 1830


610^{mm}
DEPTH

CBSK2430S1	610 x 765 mm
CBSK2436S1	610 x 915
CBSK2442S1	610 x 1070
CBSK2448S1	610 x 1220
CBSK2454S1	610 x 1375
CBSK2460S1	610 x 1525
CBSK2472S1	610 x 1830

Color: Brushed Graphite (580).

V4 4-Shelf Vented Kits

Includes 8 shelf traverses, traverse dovetails and vented or solid shelf plates.
Ships in 1 box.



460 mm
DEPTH

CODE	DIMENSIONS D x L
CBSK1836V4	460 x 915 mm
CBSK1842V4	460 x 1070
CBSK1848V4	460 x 1220


540 mm
DEPTH

CBSK2136V4	540 x 915 mm
CBSK2142V4	540 x 1070
CBSK2148V4	540 x 1220

610 mm
DEPTH

CBSK2436V4	610 x 915 mm
CBSK2442V4	610 x 1070
CBSK2448V4	610 x 1220

S4 4-Shelf Solid Kits



460 mm
DEPTH

CODE	DIMENSIONS D x L
CBSK1836S4	460 x 915 mm
CBSK1842S4	460 x 1070
CBSK1848S4	460 x 1220

540 mm
DEPTH


CBSK2136S4	540 x 915 mm
CBSK2142S4	540 x 1070
CBSK2148S4	540 x 1220

610 mm
DEPTH

CBSK2436S4	610 x 915 mm
CBSK2442S4	610 x 1070
CBSK2448S4	610 x 1220

V5 5-Shelf Vented Kits

Includes 10 shelf traverses, traverse dovetails and vented or solid shelf plates.
Ships in 1 box.



460 mm
DEPTH

CODE	DIMENSIONS D x L
CBSK1836V5	460 x 915 mm
CBSK1842V5	460 x 1070
CBSK1848V5	460 x 1220


540 mm
DEPTH

CBSK2136V5	540 x 915 mm
CBSK2142V5	540 x 1070
CBSK2148V5	540 x 1220

610 mm
DEPTH

CBSK2436V5	610 x 915 mm
CBSK2442V5	610 x 1070
CBSK2448V5	610 x 1220

S5 5-Shelf Solid Kits



460 mm
DEPTH

CODE	DIMENSIONS D x L
CBSK1836S5	460 x 915 mm
CBSK1842S5	460 x 1070
CBSK1848S5	460 x 1220

540 mm
DEPTH

CBSK2136S5	540 x 915 mm
CBSK2142S5	540 x 1070
CBSK2148S5	540 x 1220

610 mm
DEPTH


CBSK2436S5	610 x 915 mm
CBSK2442S5	610 x 1070
CBSK2448S5	610 x 1220

Color: Brushed Graphite (580).

VS4 4-Shelf Kits

(3 Vented + 1 Solid)

Includes 8 shelf traverses, traverse dovetails and vented and solid shelf plates. Ships in 1 box.



460 mm
DEPTH

CODE	DIMENSIONS D x L
CBSK1836VS4	460 x 915 mm
CBSK1842VS4	460 x 1070
CBSK1848VS4	460 x 1220

540 mm
DEPTH

CBSK2136VS4	540 x 915 mm
CBSK2142VS4	540 x 1070
CBSK2148VS4	540 x 1220

610 mm
DEPTH


CBSK2436VS4	610 x 915 mm
CBSK2442VS4	610 x 1070
CBSK2448VS4	610 x 1220

Color: Brushed Graphite (580).

VS5 5-Shelf Kits

(4 Vented + 1 Solid)

Includes 10 shelf traverses, traverse dovetails and vented and solid shelf plates. Ships in 1 box.



460 mm
DEPTH

CODE	DIMENSIONS D x L
CBSK1836VS5	460 x 915 mm
CBSK1842VS5	460 x 1070
CBSK1848VS5	460 x 1220

540 mm
DEPTH

CBSK2136VS5	540 x 915 mm
CBSK2142VS5	540 x 1070
CBSK2148VS5	540 x 1220

610 mm
DEPTH

CBSK2436VS5	610 x 915 mm
CBSK2442VS5	610 x 1070
CBSK2448VS5	610 x 1220




Corner Connectors

For use only with add-on units and intermediate shelving up to 1220 mm long. Unique patented design ensures maximum shelf space utilization. Use 1 set per shelf to connect starter and add-on units in corners. Connect 4 or 5 intermediate shelves between 2 starter units (2 sets required per shelf).

CODE	DESCRIPTION
CBCC1	1 Set for 1 Shelf
CBCC8	8 Sets for 4 Shelves
CBCC10	10 Sets for 5 Shelves

Color: Brushed Graphite (580).



4 each CBCC1 (1 set)

1 each CBCC8 (8 sets)


Bottom Shelf Dunnage Stands

Increase weight bearing capacity on bottom shelf only. Add to any shelf length. Highly recommended for starter units 1375 mm and longer and all corner units, intermediate units and units specified for heavier load volume on and off bottom shelves.

Bottom Shelf with Dunnage Stand

UNIT LENGTH	WEIGHT BEARING
Standard Unit	
765 - 1220 mm	275 kg
1375 - 1830	260
Corner Unit with 2 Dunnage Stands	
765 - 1220	200

CODE	DIMENSIONS D x H
Dunnage Stand – Low (bottom shelf installed on lowest set of open post locations for dovetails)	
CBDS14H6	360 x 171 mm
CBDS18H6	460 x 171
CBDS21H6	540 x 171
CBDS24H6	610 x 171
Dunnage Stand – Tall (bottom shelf installed up on 2nd set of open post locations for dovetails)	
CBDS14H10	360 x 273 mm
CBDS18H10	460 x 273
CBDS21H10	540 x 273
CBDS24H10	610 x 273
Case Pack: 1 Color: Brushed Graphite (580).	




Shelf Traverses

Add single traverse on the back of a stationary unit for extra support when significant space is required between the bottom and second shelf shelf or when placing rolling equipment under the first shelf. Traverse dovetails included.

LENGTH	SINGLE PACK CODE*	DOUBLE PACK CODE**
765 mm	CBTR30	CBTR302PK
915	CBTR36	CBTR362PK
1070	CBTR42	CBTR422PK
1220	CBTR48	CBTR482PK
1375	CBTR54	CBTR542PK
1525	CBTR60	CBTR602PK
1830	CBTR72	CBTR722PK

*Case Pack: 1 **Case Pack: 2 Color: Brushed Graphite (580).



CAMSHELVING® ACCESSORIES


Shelf Rail Kits

Use to prevent contents from falling off shelves. Protect individual sides or ends or wrap a full shelf. Rods are made from a strong composite material that is highly durable and will never rust or corrode. Fits Premium Series units 600 to 1700 mm long and 400 to 600 mm deep and Basics Plus Series units 765 to 1830 mm long and 360 to 610 mm deep.



Full Shelf Rail Kits - Premium Series

(Includes 2 sides and 2 ends in 1 box)



300 mm
DEPTH

CODE	LENGTH
MPR300600	600 mm
MPR300700	700
MPR300800	800
MPR300900	900
MPR3001000	1000
MPR3001100	1100
MPR3001200	1200
MPR3001300	1300
MPR3001400	1400
MPR3001500	1500
MPR3001600	1600
MPR3001700	1700

Case Pack: 1 kit
Color: Soft Gray (151).

400 mm
DEPTH

CODE	LENGTH
MPR400600	600 mm
MPR400700	700
MPR400800	800
MPR400900	900
MPR4001000	1000
MPR4001100	1100
MPR4001200	1200
MPR4001300	1300
MPR4001400	1400
MPR4001500	1500
MPR4001600	1600
MPR4001700	1700

Case Pack: 1 kit
Color: Soft Gray (151).

500 mm
DEPTH

CODE	LENGTH
MPR500600	600 mm
MPR500700	700
MPR500800	800
MPR500900	900
MPR5001000	1000
MPR5001100	1100
MPR5001200	1200
MPR5001300	1300
MPR5001400	1400
MPR5001500	1500
MPR5001600	1600
MPR5001700	1700

Case Pack: 1 kit
Color: Soft Gray (151).

600 mm
DEPTH

CODE	LENGTH
MPR600600	600 mm
MPR600700	700
MPR600800	800
MPR600900	900
MPR6001000	1000
MPR6001100	1100
MPR6001200	1200
MPR6001300	1300
MPR6001400	1400
MPR6001500	1500
MPR6001600	1600
MPR6001700	1700

Case Pack: 1 kit
Color: Soft Gray (151).

Three-Quarter Shelf Rail Kits - Premium Series

(Includes 1 back side and 2 ends in 1 box)

300 mm
DEPTH

CODE	LENGTH
MPR3006003	600 mm
MPR3007003	700
MPR3008003	800
MPR3009003	900
MPR30010003	1000
MPR30011003	1100
MPR30012003	1200
MPR30013003	1300
MPR30014003	1400
MPR30015003	1500
MPR30016003	1600
MPR30017003	1700

Case Pack: 1 kit
Color: Soft Gray (151).

400 mm
DEPTH

CODE	LENGTH
MPR4006003	600 mm
MPR4007003	700
MPR4008003	800
MPR4009003	900
MPR40010003	1000
MPR40011003	1100
MPR40012003	1200
MPR40013003	1300
MPR40014003	1400
MPR40015003	1500
MPR40016003	1600
MPR40017003	1700

Case Pack: 1 kit
Color: Soft Gray (151).

500 mm
DEPTH

CODE	LENGTH
MPR5006003	600 mm
MPR5007003	700
MPR5008003	800
MPR5009003	900
MPR50010003	1000
MPR50011003	1100
MPR50012003	1200
MPR50013003	1300
MPR50014003	1400
MPR50015003	1500
MPR50016003	1600
MPR50017003	1700

Case Pack: 1 kit
Color: Soft Gray (151).

600 mm
DEPTH

CODE	LENGTH
MPR6006003	600 mm
MPR6007003	700
MPR6008003	800
MPR6009003	900
MPR60010003	1000
MPR60011003	1100
MPR60012003	1200
MPR60013003	1300
MPR60014003	1400
MPR60015003	1500
MPR60016003	1600
MPR60017003	1700

Case Pack: 1 kit
Color: Soft Gray (151).

Full Shelf Rail Kits - Basics Plus Series

(Includes 2 sides and 2 ends in 1 box)

360 mm
DEPTH

CODE	LENGTH
CBR1430	765 mm
CBR1436	915
CBR1442	1070
CBR1448	1220
CBR1454	1375
CBR1460	1525
CBR1472	1830

Case Pack: 1 kit
Color: Soft Gray (151).

460 mm
DEPTH

CODE	LENGTH
CBR1830	765 mm
CBR1836	915
CBR1842	1070
CBR1848	1220
CBR1854	1375
CBR1860	1525
CBR1872	1830

Case Pack: 1 kit
Color: Soft Gray (151).

540 mm
DEPTH

CODE	LENGTH
CBR2130	765 mm
CBR2136	915
CBR2142	1070
CBR2148	1220
CBR2154	1375
CBR2160	1525
CBR2172	1830

Case Pack: 1 kit
Color: Soft Gray (151).

610 mm
DEPTH

CODE	LENGTH
CBR2430	765 mm
CBR2436	915
CBR2442	1070
CBR2448	1220
CBR2454	1375
CBR2460	1525
CBR2472	1830

Case Pack: 1 kit
Color: Soft Gray (151).

Three-Quarter Shelf Rail Kits - Basics Plus Series

(Includes 1 back side and 2 ends in 1 box)

360 mm
DEPTH

CODE	LENGTH
CBR14303	765 mm
CBR14363	915
CBR14423	1070
CBR14483	1220
CBR14543	1375
CBR14603	1525
CBR14723	1830

Case Pack: 1 kit
Color: Soft Gray (151).

460 mm
DEPTH

CODE	LENGTH
CBR18303	765 mm
CBR18363	915
CBR18423	1070
CBR18483	1220
CBR18543	1375
CBR18603	1525
CBR18723	1830

Case Pack: 1 kit
Color: Soft Gray (151).

540 mm
DEPTH

CODE	LENGTH
CBR21303	765 mm
CBR21363	915
CBR21423	1070
CBR21483	1220
CBR21543	1375
CBR21603	1525
CBR21723	1830

Case Pack: 1 kit
Color: Soft Gray (151).

610 mm
DEPTH

CODE	LENGTH
CBR24303	765 mm
CBR24363	915
CBR24423	1070
CBR24483	1220
CBR24543	1375
CBR24603	1525
CBR24723	1830

Case Pack: 1 kit
Color: Soft Gray (151).

PREMIUM SERIES

One Side Rail Kits

CODE	LENGTH
MPR600S	600 mm
MPR700S	700
MPR800S	800
MPR900S	900
MPR1000S	1000
MPR1100S	1100
MPR1200S	1200
MPR1300S	1300
MPR1400S	1400
MPR1500S	1500
MPR1600S	1600
MPR1700S	1700

Case Pack: 1 Color: Soft Gray (151).

One End Rail Kits

CODE	DEPTH
MPR300E	300 mm
MPR400E	400
MPR500E	500
MPR600E	600

Case Pack: 1 Color: Soft Gray (151).

BASICS PLUS SERIES

One Side Rail Kits

CODE	LENGTH
CBR30S	760 mm
CBR36S	910
CBR42S	1070
CBR48S	1220
CBR54S	1375
CBR60S	1525
CBR72S	1830

Case Pack: 1 Color: Soft Gray (151).

One End Rail Kits

CODE	DEPTH
CBR14E	360 mm
CBR18E	460
CBR21E	540
CBR24E	610

Case Pack: 1 Color: Soft Gray (151).

CAMSHELVING® ACCESSORIES


Wall Fastener

Use to secure stationary shelving unit to a wall for added safety and stability where required. Made of 300 series, 11 gauge stainless steel. Screws not included.

CODE	DIMENSION D x L x H
Premium®, Basics® Plus Series	
CSWF	73 x 238 x 48 mm
Case Pack: 4 Color: Silver (000).	



Hole diameter 11 mm.



Floor Fasteners

Secure stationary unit posts directly to the floor for added safety and stability where required. Made of 300 series, 11 gauge stainless steel. Bolts not included.

CODE	DIMENSION D x L x H*
Stationary	
CSFF	38 x 165 x 89 mm
High Density	
CSHDF	35 x 108 x 13
CSFF Case Pack: 2 CSHDF Case Pack: 4	
Color: Silver (000).	
*Height of CSFF includes stainless steel leveling foot.	




Hole diameter 1,6 cm.



CSFF

CSHDF

Hole diameter 0,95 cm.




CAMSHELVING® ACCESSORIES

Universal Storage Rack

Create individual storage sections by installing rail panels onto shelf traverses. Install on new or existing units in kitchens, coolers, freezers, or dry storage. Holds everything – trays, sheet pans, food pans, pizza dough boxes and food boxes. Fits Camshelving only with kits available for all lines. Seven rails per panel, double sided with 5 cm rail spacing. Temperature tolerance -40 – 177 °C. Each rail set holds up to 13,6 kg. Maximum weight load is 54,4 kg. per storage section.



Transform
YOUR Storage



Panel Height 460 mm (Requires 4 open molded-in dovetails or dovetail notches between traverses for installation)

Type 304 Stainless Steel Hex Head Bolts

Molded-in 6,3 mm Pan Stops, on the front and back of each rail.

Kit Contents

Starter Kit

- 2 Rail Panels
- 8 Panel Bracket Sets
- 8 Traverse Brackets
- 8 Hex Head Bolts

Add-On Kit

- 1 Rail Panel
- 4 Panel Bracket Sets
- 4 Traverse Brackets
- 4 Hex Head Bolts

For Premium® Series

PRODUCT CODE	DESCRIPTION	FITS SHELVING
MPUNVR600	Starter Kit	600 mm Deep
MPUNVRA600	Add-On Kit	600 mm Deep

Case Pack: 1 Color: Brushed Graphite (580).



Shown Installed on Premium Series Shelving Unit 600 x 1380 x 1800.

Covered by US Patent 11, 690, 450B2, D982, 952S.

For Basics Plus® Series

PRODUCT CODE	DESCRIPTION	FITS SHELVING
CBUNVR21	Starter Kit	540 mm Deep
CBUNVRA21	Add-On Kit	540 mm Deep
CBUNVR24	Starter Kit	610 mm Deep
CBUNVRA24	Add-On Kit	610 mm Deep

Case Pack: 1 Color: Brushed Graphite (580).

CAMSHELVING® ACCESSORIES

Ultimate Sheet Pan Rack for Single Shelf

- Fits 600, 610, 500, or 540 deep vented or solid shelves.
- Holds 6 full size or 12 half size sheet pans.
- Holds up to 18 kg. per rail set with maximum weight bearing of 91 kg. per rack.
- Rails are heat tolerant and will accept pans out of the oven up to 176°C.
- Secure racks to shelving unit with 2 post clips, installed on front and back.
- Installation requires 5 open molded in dovetails or dovetail notches between shelves.
- Lifetime warranty against rust and corrosion.
- Ships knockdown.

CODE	SHEET PAN DIMENSIONS	RACK DIMENSION D x L x H
Premium Series		
CSUPR6040S6	60 x 40	612 x 465 x 514 mm
CSUPR1826S6	66 x 46	603 x 514 x 514
Basics Plus Series		
CBUPR6040S6	60 x 40	612 x 465 x 514
CBUPR1826S6	66 x 46	603 x 514 x 514

Case Pack: 1 **Color:** Brushed Graphite (580).
Covered by 1 or more of these US Patents:
US D887, 186 S, US 10,881,199 B1, US 11,388,995 B1.



Scan for
Racks Per
Shelf Guide



Identification Tags

Clip onto shelf traverses to clearly identify stored product. Made of highly durable plastic with a clear slide in front panel. 14 labels included: 12 color-coded, pre-printed and 2 blank.

CODE	DESCRIPTION	DIMENSION L x H
Premium® Series		
CSID6	152 mm ID Tag	152 x 25 mm
CSID3	76 mm ID Tag	76 x 25
Basics® Plus Series		
CBID6	152 mm ID Tag	152 x 25

Case Pack: 12 **Color:** White / Clear.
Pre-printed, color labels, 2 each: Blue - Cooked Foods, Beige - Fish, Yellow - Poultry, White - Dairy, Green - Fruits and Vegetables, Red - Raw Meat.




Shelf Divider Bars

Create a custom service or storage station for food pans, boxes or dish racks. Install straight or angled dividers directly onto shelf traverses. Install 2 dividers between storage products. Fits 600 mm deep shelf only.

CODE	DESCRIPTION
Premium® Series	
CSDBA	Angled Divider Bar
CSDBS*	Straight Divider Bar

Case Pack: 4 **Color:** Speckled Gray (480).



Shelf Divider Panels

Made of highly durable plastic. Installs directly onto solid or vented shelves. Easily removable for relocating or washing. Use with Shelf Rails to prevent contents from falling off shelves. Can be installed on shelves inside Full Wrap Security Cage units.

CODE	DIMENSION D x H
Premium, Basics® Plus Series	
CSSD188*	460 x 203 mm
CSSD218*	540 x 203
CSSD248	610 x 203

Case Pack: 1 **Color:** Soft Gray (151).
*Does not fit Metric Premium




ULTIMATE TROLLEYS

- Made from extremely strong, highly durable, composite plastic materials.
- Use in coolers, freezers or dry storage.
- No metal welds, screws or cross bars that can dent, break, bend, rust or corrode.
- Heat tolerant L-shape slide rails accept hot pans from oven up to 200°C.
- Premium swivel plastic casters, all with total locking brake that locks both swivel and wheel. Non-marking thermoplastic rubber wheel.
- Lifetime warranty against rust and corrosion from top to bottom.



MOLDED IN PAN STOPS
3 mm pan stops at each rail end provide stability during transport.



RAIL SPACING
Wide 7,6 cm rail spacing offers greatest versatility and ease of use.



ULTIMATE TROLLEYS

6040 Bakery Trolleys

for 60 x 40 cm Pans

CODE	UPR6040XF18	UPR6040XH9
DESCRIPTION	Full Size Trolley	Half Size Trolley
HOLDING CAPACITY	18 Sheet Pans	9 Sheet Pans
DIMENSION D x W x H	78,3 x 51,6 x 170,8 cm	78,3 x 51,6 x 101,4 cm
UNIT WEIGHT	21,3 kg	14 kg
WEIGHT-BEARING CAPACITY	340 kg	170 kg
18 kg per Rail Set		

Color: Speckled Gray (480). Casters: 4 each 12,7 cm swivel casters with total locking brake.



GN 1/1 Food Pan Trolleys

Standard Capacity
1 Food Pan per Rail Set

CODE	UGNPR11F18	UGNPR11H9
DESCRIPTION	Full Size Trolley	Half Size Trolley
HOLDING CAPACITY	18 GN 1/1 Food Pans	9 GN 1/1 Food Pans
DIMENSION D x W x H	73,03 x 43,8 x 170,7 cm	73,03 x 43,8 x 101,6 cm
UNIT WEIGHT	24,2 kg	14,8 kg
WEIGHT-BEARING CAPACITY	340 kg	170 kg
18 kg per Rail Set		

Color: Speckled Gray (480). Casters: 4 each 12,7 cm swivel casters with total locking brake.



GN 2/1 Food Pan Trolleys

High-Volume Capacity
2 Food Pans per Rail Set

CODE	UGNPR21F36	UPNGR21H18
DESCRIPTION	Full Size Trolley	Half Size Trolley
HOLDING CAPACITY	36 GN 1/1 Food Pans	18 GN 1/1 Food Pans
DIMENSION D x W x H	83,5 x 64,5 x 170,7 cm	83,5 x 64,5 x 101,6 cm
UNIT WEIGHT	27,6 kg	17,1 kg
WEIGHT-BEARING CAPACITY	340 kg	170 kg
36 kg per Rail Set		

Color: Speckled Gray (480). Casters: 4 each 12,7 cm swivel casters with total locking brake.



Pan Stops



UGNPRPSF
For Full Size Trolleys

UGNPRPSH
For Half Size Trolleys

Color: Speckled Gray (480).

Covers



UPR6040CVR
For Full Size 6040 Trolley
72 x 55 x 154 cm

Color: Opaque (CLR).

GBCTUGNPR11
For Full Size GN 1/1 Trolley
66,3 x 47,2 x 154,4 cm

GBCTUGNPR21
For Full Size GN 2/1 Trolley
78,7 x 67,9 x 154,4 cm



DRYING AND STORAGE RACKS

- Promotes sanitary air drying and minimizes handling.
- Efficient, high capacity storage in a compact footprint.
- Lifetime warranty against rust and corrosion.
- Cradles are made of highly durable ABS plastic.
- Will never bend or dent. Easy to clean and maintain.
- Racks ship knockdown with factory assembled post kits.
- Premium swivel plastic casters with total locking brake – locks both swivel and wheel.



Vertical Drying and Storage Racks

- For trays, sheet pans, lids and small cutting boards.
- Cradle slot is 3,33 cm wide. Dividers are 6,35 cm high.




CSDR7



CODE	DIMENSIONS D x L x H*	HOLDING CAPACITY	# OF CRADLES	CASE PACK
Premium Series				
MPMU61117DRPKG	600 x 1180 x 1790 mm	84 Trays	12	1
MPMU61317DRPKG	600 x 1380 x 1790	105 Trays	15	1
Vertical Drying and Storage Cradle for 610 mm deep shelf only (Fits all Camshelving® lines)				
CSDR7	597 x 260 x 95	—	—	1
CSDR73	597 x 260 x 95	—	—	3

Drying Rack Color: Speckled Gray (480). **Drying Cradle Color:** Soft Gray (151).
*Rack height includes 12,7 cm casters.


1180 mm long unit ships in  **10**

1380 mm long unit ships in  **11**

DRYING AND STORAGE RACKS

Angled Drying and Storage Rack

- For meal delivery pellets, storage containers, food pans, pots and pans.
- Cradle slot is 6,03 cm wide.



CSDR8

CODE	DIMENSIONS D x L x H*	HOLDING CAPACITY	# OF CRADLES	CASE PACK
Premium Series				
MPMU61217PDPKG	600 x 1280 x 1790 mm	128 Pellets and Bases or 16 GN 1/1 Food Pans	16	1

Angled Drying and Storage Cradle for 610 mm deep shelf only (Fits all Camshelving® lines)

CSDR8	592 x 263 x 160	—	—	1
CSDR84	592 x 263 x 160	—	—	4

Drying Rack Color: Speckled White (490). **Drying Cradle Color:** Soft Gray (151).
*Rack height includes 12,7 cm casters.



Unit ships in



DRYING AND STORAGE RACKS

Dome Drying and Storage Rack


- For patient meal delivery domes.
- Cradle slot is 7,78 cm wide.

CODE	DIMENSIONS D x L x H*	HOLDING CAPACITY	CASE PACK
Premium Series			
MPMU6917DDPKG	600 x 980 x 1790 mm	100 Domes	1
Dome Drying and Storage Cradle for 610 mm deep shelf only (Fits all Camshelving® lines)			
CSDDC24**	610 x 415 x 86	—	1
CSDDC245	610 x 415 x 86	—	5

Drying Rack Color: Speckled White (490). **Drying Cradle Color:** Soft Gray (151).

*Rack height includes 12,7 cm casters.

**Only available from USA.



CSDDC24



Unit ships in

3



Drying Rack/Cradle Reference Guide - Premium Series (for creating custom shelves or units)

Unit Length	Maximum Number of Drying Cradles per Tier			Unused Space per Tier with maximum number of cradles installed			Number of Products per Tier		
TRAVERSE LENGTH	DOME CSDDC24	ANGLED CSDR8	VERTICAL CSDR7	DOME CSDDC24	ANGLED CSDR8	VERTICAL CSDR7	DOMES	BASES	TRAYS
680 mm	1	2	2	185 mm	8 mm	8 mm	10	16	14
780	1	2	2	285	180	180	10	16	14
880	1	3	3	385	20	20	10	24	21
980	2	3	3	70	120	120	20	24	21
1080	2	3	3	170	220	220	20	24	21
1180	2	4	4	270	60	60	20	32	28
1280	2	4	4	370	160	160	20	32	28
1380*	3	5	5	55	0	0	30	40	35
1480*	3	5	5	155	100	100	30	40	35
1580*	3	5	5	255	200	200	30	40	35
1680*	3	6	6	355	40	40	30	48	42
1780*	4	6	6	40	140	140	40	48	42


*Recommended for stationary units only

Drying Rack/Cradle Reference Guide - Basics Plus Series (for creating custom shelves or units)

Unit Length	Maximum Number of Drying Cradles per Tier		Unused Space per Tier with maximum number of cradles installed		Number of Products per Tier	
TRAVERSE LENGTH	DOME CSDR8	ANGLED CSDR7	DOME CSDR8	ANGLED CSDR7	ANGLED CSDR8	VERTICAL CSDR7
610 mm	2	2	0 mm	0 mm	16	14
765	2	2	159	159	16	14
915	3	3	66,55	66,55	24	21
1070	3	3	203	203	24	21
1220	4	4	95,25	95,25	32	28
1375	4	4	248	248	32	28
1525	5	5	140	140	40	35
1830	6	6	184	184	48	42

SECURITY CAGES

- Choose from single shelf or full wrap. Use in coolers, freezers and/ or dry storage. Made of heavy duty, 304 stainless steel. Ships knockdown, lock not included.
- Install Full-Wrap Cage on Premium Series 610 x 1220 x 1630 stationary unit or 610 x 1220 x 1700 mobile unit. Requires bottom vented shelf for installation. Maximum lock shackle diameter is 7,9 mm.
- Single Shelf Security Cage fits all Camshelving lines. Install on 610 mm deep vented shelves only. Requires 460 mm or 4 open dovetails of space between shelves. Maximum lock shackle diameter is between 6,3 and 7,9 mm.



Full-Wrap Security Cage

CODE	DIMENSION D x L x H
Fits Premium Series Only (Made in USA)	
CPFWSC244860	680 x 1276 x 1562 mm
Case Pack: 1 Color: Silver (000).	





Single Shelf Security Cage

CODE	DIMENSION D x L x H
Fits Premium & Basics Plus Series	
CSSC244818	640 x 1080 x 460 mm
Case Pack: 1 Color: Silver (000).	

PREMIUM® SERIES FULL WRAP SECURITY CAGE UNITS

- Use in cooler, freezer or dry storage.
- Made of heavy duty, 304 stainless steel.
- Includes 2 vented shelves. Additional shelf kits can be ordered separately. Requires bottom vented shelf for installation.
- ID Tags and Divider Panels can be installed on shelves.
- Maximum lock shackle diameter is 7,9 mm.
- Ships knockdown. Lock not included.




CODE	CPU244864SUPKG	CPMU244867SUPKG
DESCRIPTION	Full-wrap Stationary Security Unit	Full-wrap Mobile Security Unit
DIMENSION D x L x H	680 x 1276 x 1638 mm	680 x 1276 x 1721 mm
COLOR	Speckled Gray (480)	Speckled Gray (480)

*Height includes 12,7 cm casters. Fits Camshelving Premium only made in the USA. Special Order.

WINE RACKS

- A high performance alternative to wire, metal or wood racks.
- Ultra hygienic and easy to clean. All parts are dishwasher safe.
- Stack and store up to 144 each standard size wine bottles.
- Ideal for bulk wine storage in wine/beverage coolers.
- Made of highly durable plastic. Will never rust, corrode, peel or rot.
- Smooth plastic components reduces risk of label damage.

Wine Cradles and Connectors made of extremely durable ABS plastic.



Unique cradle design allows for open air flow around stored bottles.




Open space between a single stack/row of cradles and next traverse is approximately 13,3 cm, wide enough for large champagne bottles and magnums.



Open space between stacked cradles is 9,04 cm which fits a standard size wine bottle.

WINE CRADLE KITS

- Use on new or existing 360 mm or 460 mm deep Camshelving units.
- Replace shelves with wine cradles where needed, 1 shelf at a time.
- Optimal fit is 4 single or 4 stacks of cradles side by side on 1220 mm length or 5 on 1575 mm.
- Maximum stack of cradles with connectors is 3 each for safety and stability.



Four Cradle Shelf Kits, Single Stack



Eight Cradle Shelf Kits, Double Stack





Twelve Cradle Shelf Kits, Triple Stack



Single Cradle Add On Kits (Add more wine storage to existing cradles)

Vertical Shelf Space Requirements

(Open Dovetail/Notches Between Installed Traverses)



CAMSHELVING® WINE RACK UNITS

CODE	DESCRIPTION	HOLDING CAPACITY STANDARD WINE BOTTLES	DIMENSIONS D x L x H
Basics Plus Series			
CBUWR144872PKG	Basics Plus Series Wine Rack Unit	144	360 x 1220 x 1830 mm
Basics Plus Series			
CBUWR184872PKG	Basics Plus Series Wine Rack Unit	144	460 x 1220 x 1830

Basics Plus Color: Brushed Graphite (580). **Wine Cradle Color:** Soft Gray (151).

Each UNIT includes: 2 Unassembled Stationary Post Kits, 8 Traverses, 48 each Wine Cradles, 32 Bags of Cradle Connectors.

Units ship in



COMPONENT

(WINE CRADLES & CONNECTORS
NOT INCLUDED)

CAMSHELVING® WINE CRADLE KITS

CODE	DESCRIPTION	DIMENSIONS D x W x H*	HOLDING CAPACITY
Single Cradle Add On Kits (Single Cradle with Bag of Connectors)			
CSWRKIT14P1	Wine Cradle Kit 360 mm Deep 1PK	33,7 x 28,3 x 3,8 cm	3 Bottles
CSWRKIT18P1	Wine Cradle Kit 460 mm Deep 1PK	43,9 x 28,3 x 3,8 cm	3 Bottles
Four Cradle Shelf Kits, Single Stack (Four Cradles, No Connectors)			
CSWRC14P4	Wine Cradles Only 360 mm Deep 4 EA	33,7 x 113,4 x 3,8 cm	12 Bottles
CSWRC18P4	Wine Cradles Only 460 mm Deep 4 EA	43,9 x 113,4 x 3,8 cm	12 Bottles
Eight Cradle Shelf Kits, Double Stack (Eight Cradles with 4 Bags of Connectors)			
CSWRKIT14P8	Wine Cradle Kit 360 mm Deep 8PK	33,7 x 113,4 x 16 cm	24 Bottles
CSWRKIT18P8	Wine Cradle Kit 460 mm Deep 8PK	43,9 x 113,4 x 16 cm	24 Bottles
Twelve Cradle Shelf Kits, Triple Stack (Twelve Cradles with 8 Bags of Connectors)			
CSWRKIT14P12	Wine Cradle Kit 360 mm Deep 12PK	33,7 x 113,4 x 28,6 cm	36 Bottles
CSWRKIT18P12	Wine Cradle Kit 460 mm Deep 12PK	43,9 x 113,4 x 28,6 cm	36 Bottles

Color: Soft Gray (151). *Overall length is based on 4 cradles installed side by side along 1220 mm traverses.

OPTIONAL ACCESORIES

CODE	DESCRIPTION	DIMENSIONS D x L x H
CSFF	Floor Fastener	3.81 x 16.51 x 9.53 cm
CSWF	Wall Fastener	7.37 x 8.64 x 4.83 cm
CSDS14H6	Dunnage Stand	35.56 x 16.51 cm
CSID6	Identification Tag	15.24 x 2.54 cm
CSID3	Identification Tag	7.62 x 2.54 cm

Colors: Floor and Wall Fastener Stainless Steel (000), Dunnage Stand Speckled Gray (480), Identification Tags White/Clear (000).

WALL SHELVES AND SHELF EXTENDERS




Wall Shelf Kits

- Features virtually indestructible I-beam supports that hold up to 68 kg per shelf.
- Durable polypropylene withstands temperatures up to 88°C, and will not rust or corrode.
- Snap fit rail design allows shelves to snap on and off for easy cleaning.
- Backsplash and marine front edge controls spills and cross contamination.

CODE	EXTERIOR DIM. L x W x H
Solid Shelf Kits	
CSWS1436SK	915 x 360 x 340 mm
CSWS1448SK	1220 x 360 x 340
CSWS1836SK	915 x 460 x 340
CSWS1848SK	1220 x 460 x 340
Vented Shelf Kits	
CSWS1436VK	915 x 360 x 340
CSWS1448VK	1220 x 360 x 340
Case Pack: 1 Wall Shelf Color: Speckled Gray (480). Extender Peg Strip Color: Black (110). Shelf Kits ship in one carton and include: (1) solid or vented shelf, (2) wall brackets, and mounting hardware.	



Wall Shelf Kit



Shelf Extender Kit

Shelf Extender Kits

- Use with or without Camshelving Wall Shelves.
- Peg strips withstand temperatures up to 88°C, and will not rust or corrode.

CODE	EXTERIOR DIM. L x W x H
Shelf Extender Kits	
CSWS36EK	900 x 50 x 390 mm
CSWS48EK	1220 x 50 x 390
Case Pack: 1 Wall Shelf Color: Speckled Gray (480). Extender Peg Strip Color: Black (110).	

LENGTH	PEG STRIPS	WALL BRACKETS	HOOKS
915 mm	3	2	6
1220 mm	3	3	9

Shelf Extender Kits ship in one box and include: 3 peg strips, wall brackets, peg hooks and mounting hardware.


S-SERIES DUNNAGE RACKS

- Keep frozen, cold or dry inventory 30,5 cm safely off the floor.
- One piece construction and sturdy legs provide strength and stability. Heavy duty polypropylene is safe to -38°C, and will not rust, corrode or bend.
- Choose slotted tops for maximum air circulation around perishable products stored in coolers or freezers.
- Solid tops catch spills for easy clean up.
- One Camlink included with each Dunnage Rack.



CODE	EXTERIOR DIMENSIONS H x D x W	LOAD CAPACITY
Solid Top		
DRS30	300 x 533 x 760 mm	680 kg
DRS36	300 x 533 x 915	680
DRS48	300 x 533 x 1220	1,360
DRS60	300 x 533 x 1525	1,360
Slotted Top		
DRS300	300 x 533 x 760	680
DRS360	300 x 533 x 915	680
DRS480	300 x 533 x 1220	1,360
DRS600	300 x 533 x 1525	1,360
Camlink		
DRLNK	—	—

Dunnage Rack Case Pack: 1
Color: Speckled Gray (480), Dark Brown (131).
Camlink Case Pack: 6 Color: Black (110).



Camlink securely locks dunnage racks together for greater stability.

REPLACEMENT PARTS

Stationary Posts


CODE	HEIGHT
Premium® Series	
MSP170	1700 mm
MSP180	1800
CSP84	2140
Basics® Plus Series	
CBP64	1630 mm
CBP72	1830
CBP84	2140

Mobile Post

CODE	HEIGHT
Premium Series	
MSPR177L	1770 mm

High Density Mobile Post

CODE	HEIGHT
Premium Series	
MSPR177NML	1770 mm



Single Traverses


SINGLE PACK CODE	LENGTH
Premium Series	
MPTR60	600 mm
MPTR70	700
MPTR80	800
MPTR90	900
MPTR100	1000
MPTR110	1100
MPTR120	1200
MPTR130	1300
MPTR140	1400
MPTR150	1500
MPTR160	1600
MPTR170	1700
Basics Plus Series	
CBTR30	765 mm
CBTR36	915
CBTR42	1070
CBTR48	1220
CBTR54	1375
CBTR60	1525
CBTR72	1830

Post Connectors

CODE	DESCRIPTION
Premium Series	
MSPCT30	Top Post Connector 300 mm
MSPCB30	Bottom Post Connector 300 mm
MSPCT40	Top Post Connector 400 mm
MSPCB40	Bottom Post Connector 400 mm
MSPCT50	Top Post Connector 500 mm
MSPCB50	Bottom Post Connector 500 mm
MSPCT60	Top Post Connector 600 mm
MSPCB60	Bottom Post Connector 600 mm
Basics Plus Series	
CBPCT14	Top Post Connector 360 mm
CBPCB14	Bottom Post Connector 360 mm
CBPCT18	Top Post Connector 460 mm
CBPCB18	Bottom Post Connector 460 mm
CBPCT21	Top Post Connector 540 mm
CBPCB21	Bottom Post Connector 540 mm
CBPCT24	Top Post Connector 610 mm
CBPCB24	Bottom Post Connector 610 mm


REPLACEMENT PARTS

Post Connector Collar Wedges




CODE	DESCRIPTION
Basics® Plus Series	
CBPCW8	Bag of 8 Collar Wedges (4A and 4B)

Corner Connectors, Single Set Left and Right



MPCC1




CBCC1

Premium® Series MPCC1	Basics Plus Series CBCC1
--------------------------	-----------------------------

Casters and Donut Bumper



MPMCWB



CSMHDDDB



MPMCHD

CODE	DESCRIPTION
Premium	
MPMCWB	12,7 cm caster with total locking brake and square toe pedal
High Density	
MPMCHD	12,7 cm grooved caster, no brake, includes bumper
Donut Bumper	
CSMHDDDB	Donut Bumper only


Traverse Dovetails



CBTD8

CODE	DESCRIPTION
Basics Plus Series	
CBTD8	Bag of 8 Dovetails, 4 each snap-apart, L and R

Post Leveling Foot



CODE	DESCRIPTION
MSLF	Premium and Basics Plus Series

High Density Rails and Hardware

Track Joiner Kit H09010 includes:



Track Rail Joiner (x2)



Pan Head Screw (x8)




Star Washer (x8)

Track End Plate Kit H09011 includes:



Stainless Steel
Leveling Foot (x8)



End Plate (x4)



Pan head Screw (x8)




Plate Cap (x4)



Hex Nut (x4)



Star Washer (x8)

CODE	DESCRIPTION
S09006	1372 mm Rail Set
S09007	1524 mm Rail Set
S09008	1829 mm Rail Set
H09010	Track Rail Joiner Kit
H09011	Track End Plate Kit

Wall Shelving

CODE	DESCRIPTION
CSWS1836S	915 mm Wall Shelf Solid, 460 mm Width
CSWS1436S	915 mm Wall Shelf Solid, 360 mm Width
CSWS1436V	915 mm Wall Shelf Vented, 360 mm Width
CSWS1448S	1220 mm Wall Shelf Solid, 360 mm Width
CSWS1448V	1220 mm Wall Shelf Vented, 360 mm Width
CSWB14	360 mm Wall Shelf Bracket Kit
CSWB	460 mm Wall Shelf Bracket Kit
S06001	Peg Strip, 915 mm Long
S06002	Peg Strip, 1220 mm Long
S06003	3-Peg Hooks
S06004	3-Peg Strip Screws
H06003	2-Lag Screws, 2-Washers
CSSE	Extender

REPLACEMENT PARTS

GN Food Pan Trolleys

CODE	DESCRIPTION
Post Connector Frames and Wedges	
S24004	Top Connector Frame for 1/1 Trolleys
S24005	Bottom Connector Frame for 1/1 Trolleys
S24006	Top Connector Frame for 2/1 Trolleys
S24007	Bottom Connector Frame for 2/1 Trolleys
S24003	Wedge, Bag of 8 (4 Sets)
Rail Panels	
S24009	1/1 Trolleys
S24010	2/1 Trolleys
Caster/Post Insert	
CSCWB	12,7 cm Caster with Total Locking Brake
S19004	Post Insert, 4 Sets

SHELF PLATES AND PLATE CONFIGURATIONS BY SHELF LENGTH

Shelf Plates for Camshelving® Premium Series

SHELF PLATE DIMENSIONS	SOLID SHELF PLATE CODE	VENTED SHELF PLATE CODE	PLATE POSITIONING
300 mm Deep			
300 x 300 mm	MS3030S	MS3030V	A
300 x 400	MS3040S	MS3040V	B
400 mm Deep			
400 x 300	MS4030S	MS4030V	A
400 x 400	MS4040S	MS4040V	B
500 mm Deep			
500 x 300	MS5030S	MS5030V	A
500 x 400	MS5040S	MS5040V	B
600 mm Deep			
600 x 300	MS6030S	MS6030V	A
600 x 400	MS6040S	MS6040V	B

Shelf Plates for Camshelving Basics® Plus Series

SHELF PLATE DIMENSIONS	SOLID SHELF PLATE CODE	VENTED SHELF PLATE CODE	PLATE POSITIONING
360 mm Deep			
360 x 152 mm	CBSP146S	CBSP146V	A
360 x 279	CBSP1411S	CBSP1411V	B
360 x 305	CBSP1412S	CBSP1412V	C
460 mm Deep			
460 x 152 mm	CBSP186S	CBSP186V	A
460 x 279	CBSP1811S	CBSP1811V	B
460 x 305	CBSP1812S	CBSP1812V	C
540 mm Deep			
540 x 152 mm	CBSP216S	CBSP216V	A
540 x 279	CBSP2111S	CBSP2111V	B
540 x 305	CBSP2112S	CBSP2112V	C
610 mm Deep			
610 x 152 mm	CBSP246S	CBSP246V	A
610 x 279	CBSP2411S	CBSP2411V	B
610 x 305	CBSP2412S	CBSP2412V	C

Full Wrap Security Cage

CODE	DESCRIPTION
S13010	Clamp Plates, Stainless Steel
S13011	Bolt Plate w/ Nuts, Stainless Steel
S13012	Bottom Plates, Stainless Steel
S13013	Hinge Bushing (16 each)
S13014	Nut, Stainless Steel 10-32

Padlock shackle maximum diameter is 7,9 mm.

Single Shelf Security Cage

CODE	DESCRIPTION
S07005	Security Hook

Padlock shackle maximum diameter is 6,3 mm.


Wine Rack

CODE	DESCRIPTION
CSWRCB4151	Cradle Connectors, 4 Each

Universal Storage Rack

CODE	DESCRIPTION (Bag of 4 sets)
S22009	Traverse Brackets for Premium
S22008	Traverse Brackets for Basics Plus

TRAVERSE LENGTH	PLATE CONFIGURATION FOR 300, 400, 500, 600 MM DEEP SHELVEING				
680 mm	A	A			
780	A	B			
880	B	B			
980	A	A	A		
1080	A	A	B		
1180	A	B	B		
1280	B	B	B		
1380	A	A	A	B	
1480	A	A	B	B	
1580	A	B	B	B	
1680	B	B	B	B	
1780	A	A	A	B	B



TRAVERSE LENGTH	PLATE CONFIGURATION FOR 360, 460, 540, 610 MM DEEP SHELVEING					
765 mm	B	A	B			
915	B	C	B			
1070	B	A	C	B		
1220	B	C	C	B		
1375	B	A	C	C	B	
1525	B	C	C	C	B	
1830	B	C	C	C	C	B



CAMBRO
TRUSTED DURABILITY

CAMBRO U.S.A.
TEL: 1(714) 848-1555
FAX: 1(714) 230-4375
international@cambro.com

CAMBRO EUROPEAN LOGISTICS
TEL: (49) 7022 90 100 0
cambroeurope@cambro.com

CAMBRO UK
FAX: 0845 280 3411
cambrouk@cambro.com

© Copyright Cambro Manufacturing Company. Printed in the U.S.A.
LITX25MPSPEC-EU