


NEW IDEAS
NEW SOLUTIONS

New Products



Scan to
download
PDF version

CAMBRO
TRUSTED DURABILITY

www.cambro.com

The Future of Food Holding & Transport

The Pro Cart Ultra[®] Pan Carriers



Except PCU2000 Cold



Scan for
more info.

**Hot & Cold Food
IN A SINGLE CART.
Energy EFFICIENT**

PCU2000 holds

20 10 cm deep
GN Food Pans



PCU1600 holds

16 10 cm deep
GN Food Pans



PCUL1000 holds

10 10 cm deep
GN Food Pans



PCU1000 holds

10 10 cm deep
GN Food Pans




PCU800 holds

8 10 cm deep
GN Food Pans



**NEW
SIZE**




**ELECTRIC
COLD**

Adjustable temperature
from 0° to 4° C
without a compressor.



**Mobile refrigeration
with no compressor
— safe to transport to
remote locations.**




**ELECTRIC
HOT**

Adjustable temperature
from 60° to 85° C,
heats up to 74° C in 15 min.



**Holds Temperature 4+
HOURS
when unplugged**

Order the configuration
that meets your
needs. Hot and cold
modules can be ordered
separately to switch out
as menu needs change.



**Interchangeable
MODULES**



**Touch
Screen**



The Pro Cart Ultra®


Holds GN Food Pans

115V Models: PCU800HH, PCU800HC, PCU800CC, PCU1000HH, PCU1000HC, PCU1000CC, PCU1600HH, PCU1600HC, PCU1600CC, PCUL1000H, PCUL1000C, PCU2000HH, PCU2000HC, PCU2000CC

Alternate Voltage Models: Add your country code to product code when ordering — US/Canada/Mexico (3), Europe (4), UK (5), Australia (6), South Africa (7), Japan (8), China (9).

Features & Benefits

- Unique and versatile, heavy duty holding and transport carts are designed to electrically and/or passively hold hot food and/or cold food simultaneously in one cart.
- Tough, durable polyethylene exterior stays cool to the touch and will never dent, crack, chip or rust.
- Thick CFC-free polyurethane insulation throughout the cart ensures food is held at safe temperatures up to 4 hours when unplugged.
- Active hot or cold modules are also sold separately and can be quickly changed out to adapt to menu changes or operational needs.
- Heavy-duty, gasket-free, self venting doors open 270° (degrees) to the side, flush to the cart. Doors have a magnetic quick close feature and two each durable nylon latches. Door and body come with heavy-duty, high-gauge reinforced hinge hardware.
- Molded-in rails hold GN food pans with front load configuration (PCU800, PCU1000) and side load configuration (PCUL1000, PCU1600, PCU2000).
- Two ergonomic vertical molded-in rear handles run the entire height of the cart.
- PCU800 and PCU1000 come standard with all nylon, maintenance-free casters 15 x 3,8 cm 2 front swivel with brake, 2 rigid in back.
- PCUL1000, PCU1600 and PCU2000 come standard with heavy duty, hi-density rubber casters, 15,2 x 5 cm 2 front swivel with brake, 2 rigid in back. Lock pin on front casters can be used to convert swivel to rigid.
- Heating module features a touchscreen control with adjustable temperature setting from 60°C – 85°C.
- Cooling module features simple input control with an adjustable setting from 0,28°C – 4,5°C.
- Both heating and cooling modules feature actual temperature reading, temperature set-point and can easily be switched from °F to °C.



Electrical Specifications (Per Compartment)

	HOT MODULE	COLD MODULE
REQUIRED VOLTAGE	115-230 VAC	115-230 VAC
AMPS	3.9a @ 115v 2.17a @ 220v	3.6a @ 115v 1.7 a @ 230v
WATTS	450w @ 115v 500w @ 230v	414w @ 115v 393w @ 230v
HERTZ	50/60	50/60
PHASE	Single	Single
PLUG BODY FOR THESE COUNTRIES	US, Canada, Mexico, China, Europe, UK, Australia, South Africa, Japan	

* If country is not listed, please call Cambro Customer Service for details.


Total Capacity

GN FOOD PAN DEPTHS

CODE	DESCRIPTION	6,5 CM	10 CM	15 CM	20 CM
PCU800	GN 1/1	12	8	6	4
	GN 1/2	24	16	12	8
	GN 1/3	36	24	18	12
PCU1000	GN 1/1	14	10	6	4
	GN 1/2	28	20	12	8
	GN 1/3	36	24	18	12
PCUL1000	GN 1/1	14	10	6	4
	GN 1/2	24	16	8	4
PCU1600	GN 2/1	12	8	4	2
	GN 1/1	28	20	12	8
PCU2000	GN 2/1	14	10	6	4
	GN 1/1	28	20	12	8

GN Pan Carriers

Dimensions



CODE	DESCRIPTION	DIMENSIONS W x D x H	PRODUCT WEIGHT (KG)
PCU800			
PCU800HH	2 active hot compartments	55,63 x 86,36 x 150,1 cm	46,24
PCU800HC	1 active hot compartment (top), 1 active cold compartment (bottom)		50,21
PCU800CC	2 active cold compartments		54,18
PCU1000			
PCU1000HH	2 active hot compartments	55,88 x 86,36 x 170,18 cm	65,1
PCU1000HC	1 active hot compartment (top), 1 active cold compartment (bottom)		69,06
PCU1000CC	2 active cold compartments		73,03
PCUL1000			
PCUL1000H	1 active hot compartment	76,2 x 96,52 x 100,33 cm	117.50 / 53.30
PCUL1000C	1 active cold compartment		126.25 / 57.27
PCU 1600			
PCU1600HH	2 active hot compartments	76,2 x 96,52 x 149,86 cm	162.25 / 73,6
PCU1600HC	1 active hot compartment (top), 1 active cold compartment (bottom)		171 / 77,57
PCU1600CC	2 active cold compartments		179.75 / 81,31
PCU2000			
PCU2000HH	2 active hot compartments	76,20 x 96,52 x 170,5 cm	86,16
PCU2000HC	1 active hot compartment (top), 1 active cold compartment (bottom)		90,12
PCU2000CC	2 active cold compartments		94,1
Modules			
PCMCX	Cold Module	—	9,42
PCMHX	Hot Module	—	5,44

Case Pack: 1 Color: Charcoal Gray (615). Other configurations and Security Package available. Tow Hitch Package Available for PCU2000 Only.

Architect Specs

The holding and transport carts shall be the Pro Cart Ultra Pan Carriers, all models starting with PCU, manufactured by Cambro Mfg. Co., Huntington Beach, CA 92647 USA. They shall be made of double wall, high-density, polyethylene and foam-injected CFC-free polyurethane. They shall have molded in rails for end loading GN food pans (PCU1000, PCU800) and side loading GN food pans (PCUL1000, PCU1600, PCU2000). They shall be offered with electric hot or electric cold modules. Electric hot compartments shall have an energy efficient 450W (115V units) / 500W (230V units) heating module with touchscreen controls and adjustable temperature range of 60 – 85°C. The heating module shall heat the compartment from ambient temperature to 73,9°C in 15 minutes. Electric cooling compartments shall have a solid state

thermoelectric 414W (115V units) cooling module with an adjustable temperature range from 0,28 – 4,5°C. Each hot or cold module shall have a 2,7 m, single phase power cord with cord storage in the body of the cart. Each door shall have 2 each nylon paddle-style latches, and each compartment shall have heavy-duty stainless steel hinge hardware. Each PCU1000 and PCU800 shall have 4 each 15,2 x 3,81 cm nylon, maintenance-free casters, 2 swivel total locking and 2 rigid. Each PCUL1000, PCU1600 and PCU2000 shall have 4 each 15,2 x 5 cm hi-modulus, rubber casters, 2 each swivel with brake and 2 rigid. All carts shall be available in one color – Charcoal Gray (615).

Approvals



Hot Module



Hot Unit Only



Intertek



Standard Colors Charcoal Gray (615).

SAME DNA as ELEMENTS® Series, ONLY BETTER!

Camshelving® Elements® XTRA Series

Fast & Easy

Assembly



COMPONENTS



DISHWASHER
SAFE



camguard.
ANTIMICROBIAL SHELF PLATES



Camshelving® ELEMENTS® XTRA® series

STATIONARY | MOBILE | HIGH-DENSITY

Why Choose Elements XTRA?


- Easy to clean and adjust.
- Zero loss of weight-bearing on shared posts and corners up to 152,5 cm in length.
- Impervious to harsh chemicals and salt water.
- Each Single Unit holds 1090 kg (TUV).





Rust and Corrosion Free

Backed by a lifetime warranty against rust and corrosion. All Camshelving is impervious to harsh chemicals and salt water.



All Environments

Camshelving is designed to withstand all extreme storage applications and temperatures.

- Coolers
- Freezers
- Dry Storage
- Utility




Easy to Clean

Camshelving easily wipes clean or shelf plates can go through the dishwasher. Camguard® antimicrobial shelf plates inhibit the growth of harmful bacteria and microbes.



Easy to Assemble & Adjust

Units ship with preassembled frames to speed up installation. Each shelf can be easily and independently adjusted.



Camshelving® PREMIUM series

STATIONARY | MOBILE | HIGH-DENSITY


Why Choose Premium?

- Easy to clean and adjust.
- Quick and easy to assemble.
- Ideal for coolers, freezers and warewashing areas.
- Strong enough to support the toughest loads.
- Zero loss of weight-bearing on shared posts.
- Impervious to harsh chemicals and salt water.
- Each Single Unit holds 910 kg.



COMPONENTS





Camshelving® BASICS PLUS series

STATIONARY

Why Choose Basics Plus?

- Easy to clean and adjust.
- Superior alternative to wire or aluminum shelving.
- Made from strong composite and plastic materials.
- Zero loss of weight-bearing on shared posts.
- Impervious to harsh chemicals and salt water.
- Each Single Unit holds 800 kg (TUV).



Camshelving® Elements® XTRA Series

High Density Top Rail Storage System

Increase your storage capacity without expanding your footprint. The **Cambro® High Density Top Rail System** boosts efficiency with a top-mounted track and easy-to-clean shelves, a solution that multiplies your space while delivering the most hygienic solution for any environment, from dry storage to walk-in freezers.



Easy to Adjust

Provides the flexibility to add, remove, or replace shelves.



WEIGHT BEARING

1089 kg
Per Stationary
Unit*

408 kg
Per Mobile Unit*

SHELVING for LIFE®

Lifetime Guarantee Against Rust & Corrosion

Low-Contact Casters Designed & made by Cambro for smooth rolling & reduced friction through minimal floor contact.





Smooth Glide Rollers
ensure consistent
performance

STORAGE BOOSTER

30-40%

More Storage • Same Space

CLICK or SCAN
for more info



**Ultra-Hygienic &
Dishwasher-Safe**
Quick and easy
to clean.

**Top-mounted Rail
System** creates active
aisle for carts.



**OVERALL
SYSTEM
HEIGHT**
2083
mm



camguard
ANTIMICROBIAL SHELF PLATES



COMPONENT
Shelving Unit Only

Camshelving® Wine Rack

Kits & Full Wine Rack Units



COMPONENTS
(WINE CRADLES &
CONNECTORS NOT
INCLUDED)




- Unit holds up to 144 bottles.
- Add kits to customize existing shelving.
- Smooth ABS material is easy to clean & protects labels on wine bottles.
- Holds standard size wine bottles.
- Available in 36 and 46 cm depth.



Features & Benefits

- Quick to assemble, stationary wine racks with modular, stackable wine cradles.
- Ideal for wine storage in any environment, including wine cellars or environmentally controlled rooms or wine/beverage coolers. Will never rust, corrode, dent or peel.
- Safely store up to 144 (12 cases) each standard size wine bottles per full rack.
- Each bottle nests securely into a single cradle space with room for air flow. Smooth, rounded plastic sides/corners ensure that wine labels remain intact.
- Opening between stacked cradles is 9,05 cm.
- Opening between single stack of cradles on 2 traverses and the next shelf/traverse is approximately 13,3 cm.
- Opening between double stack cradles and next shelf traverse is approximately 11,4 cm.
- Opening between triple stack cradles and next shelf traverse is approximately 8,9 cm.
- Each rack includes 2 factory assembled post kit frames, 8 shelf traverses (with 4 bags of dovetails for an Elements XTRA rack), 48 wine cradles and 32 bags of wine cradle connectors, 4 per bag.
- Each shelf/tier of storage has 12 cradles stacked 3 high with cradle connectors.
- Each shelf/tier of storage holds up to 36 bottles of wine or 3 cases.
- Cradles and connectors are made of highly durable, smooth ABS plastic.
- Basics Plus Series posts and traverses are made of extremely strong composite and plastic materials. Shelf traverse dovetails must be installed on posts.
- Uniquely engineered Post Connectors offer exceptional cross stabilization and stability. Weight bearing is uncompromised.
- All components easily wipe clean or can be run through a commercial dishwasher.
- Racks require minimal assembly. Use a rubber mallet only to install traverses.
- Lifetime warranty against rust and corrosion (posts, traverses, cradles, and connectors).
- Available in 1 Color: Brushed Graphite (580).



Specifications

CODE	DESCRIPTION	DIMENSIONS D x L x H	UNIT WEIGHT
CBUWR144872PKG	Basics Plus Series Wine Rack	360 x 1220 x 1830 mm	39,8 kg
CBUWR184872PKG	Basics Plus Series Wine Rack	460 x 1220 x 1830 mm	47,4 kg

Color: Brushed Graphite (580).

Camshelving® Wine Cradle Kits

CODE	DESCRIPTION	DIMENSIONS D x W x H*	HOLDING CAPACITY
Single Cradle Add On Kits (Single Cradle with Bag of Connectors)			
CSWRKIT14P1	Wine Cradle Kit 355 mm Deep 1PK	337 x 283 x 38 mm	3 Bottles
CSWRKIT18P1	Wine Cradle Kit 457 mm Deep 1PK	439 x 283 x 38 mm	3 Bottles
Four Cradle Shelf Kits, Single Stack (Four Cradles, No Connectors)			
CSWRC14P4	Wine Cradles Only 355 mm Deep 4 EA	337 x 1134 x 38 mm	12 Bottles
CSWRC18P4	Wine Cradles Only 457 mm Deep 4 EA	439 x 1134 x 38 mm	12 Bottles
Eight Cradle Shelf Kits, Double Stack (Eight Cradles with 4 Bags of Connectors)			
CSWRKIT14P8	Wine Cradle Kit 355 mm Deep 8PK	337 x 1134 x 160 mm	24 Bottles
CSWRKIT18P8	Wine Cradle Kit 457 mm Deep 8PK	439 x 1134 x 160 mm	24 Bottles
Twelve Cradle Shelf Kits, Triple Stack (Twelve Cradles with 8 Bags of Connectors)			
CSWRKIT14P12	Wine Cradle Kit 355 mm Deep 12PK	337 x 1134 x 286 mm	36 Bottles
CSWRKIT18P12	Wine Cradle Kit 457 mm Deep 12PK	439 x 1134 x 286 mm	36 Bottles

Color: Soft Gray (151). *Overall length is based on 4 cradles installed side by side along 1219 mm traverses.
Cradle Kits fit all Camshelving® lines — Premium Series, Elements XTRA Series, and Basics Plus Series.

Architect Specs

Post and Traverses:
Basics Plus Series: Proprietary non-corrosive composite material.
Post Connectors: Reinforced nylon
Cradles and Connectors: ABS Plastic

Optional Accessories

<input type="checkbox"/> Floor Fastener	CSFF	<input type="checkbox"/> Identification Tags	CSID6 - 152 mm CSID3 - 76 mm CBID6 - 152 mm
<input type="checkbox"/> Wall Fastener	CSWF		
<input type="checkbox"/> Dunnage Stand	CBDS14H6		

Approvals



COMPONENT

Post Connectors, Cradle, Cradle Connectors, Bracket, Seismic Foot and Wall Fastener are not NSF Listed.

Camshelving® Universal Storage Rack



An Effective Way to
**Create
VERTICAL
STORAGE
SPACE**

- Modular components, rail panels + brackets = customizable storage.
- Access top, middle or bottom items individually.

HOLDS EVERYTHING
food pans, boxes, sheet pans, trays, and even pizza dough boxes



VERTICAL STORAGE
between shelves
eliminates unused space



**CREATE
"DRAWER"
STORAGE**



COMPONENTS



Take your Storage Space to a Whole New Level.

Easily create individual storage sections with rail panels to hold pans, trays, boxes and much more.

Each rail set holds up to 13,6 kg (54,4 kg max per storage section).

Transform stacked pans, and gaps of wasted space, into easy-access, vertical product storage.



Create convenient "drawer" storage for frequently-accessed products/ingredients.



Scan QR to Configure Your Storage Solutions



For Premium® Series

PRODUCT CODE	DESCRIPTION	FITS SHELVING
MPUNVR600	Starter Kit	600 mm Deep
MPUNVRA600	Add-On Kit	600 mm Deep
CSUNVR21	Starter Kit	530 mm Deep
CSUNVRA21	Add-On Kit	530 mm Deep
CSUNVR24	Starter Kit	600 mm Deep
CSUNVRA24	Add-On Kit	600 mm Deep

Case Pack: 1 Color: Brushed Graphite (580).

For Basics Plus® Series

PRODUCT CODE	DESCRIPTION	FITS SHELVING
CBUNVR21	Starter Kit	540 mm Deep
CBUNVRA21	Add-On Kit	540 mm Deep
CBUNVR24	Starter Kit	610 mm Deep
CBUNVRA24	Add-On Kit	610 mm Deep

Case Pack: 1 Color: Brushed Graphite (580).


Compatible with all Camshelving® Series: Premium, Elements and Basics Plus.



Individual storage section.

Temperature tolerance: -40°C to 177°C.

Seven rails per panel, double-sided, with 5 cm rail spacing.



Molded-in 0,64 cm Pan Stops, on the front and back of each rail.

5 Starter Kits, and 1 Add-On Kit, shown installed on a 610 mm x 1370 mm x 1830 mm Premium Series® Unit.



Kit Contents

Starter Kit

2 Rail Panels
8 Panel Bracket Sets
8 Traverse Brackets
8 Metal Bolts

Add-On Kit

1 Rail Panel
4 Panel Bracket Sets
4 Traverse Brackets
4 Metal Bolts



Slide hot food pans directly onto rails from ovens up to 200°C.

- Highly durable, composite plastic materials.
- Warrantied against rust and corrosion.
- Low maintenance - no broken welds, dents, or sharp edges and easy to clean.
- Ideal for holding/staging food pans for prepping, defrosting or cooling bulk food.

Unique top and bottom frames hold a GN Pan, GN Pan Cover, GN Tray, or cutting board. Use to protect contents below or create a light duty work space.



GN Food Pan

1/1 Trolleys

Combination of GN 1/1, 1/2, or 1/3 per rail set, end load



UGNPR11H9
Half Size Trolley
Holds 9, GN 1/1 food pans



UGNPR11F18
Full Size Trolley
Holds 18, GN 1/1 food pans



Trolleys




2/1 Trolleys

2 full-size pans per rail set, side load




UGNPR21H18
Half Size Trolley
Holds 18, GN 1/1 food pans



UGNPR21F36
Full Size Trolley
Holds 36, GN 1/1 food pans



Holds GN 1/1
(3253) Trays



Molded in Pan Stops
Front and Back of Each Rail

Covers

- Protect contents held/staged in kitchens, coolers, or freezers.

GBCTUGNPR11
(1/1 GN Trolley)

GBCTUGNPR21
(2/1 GN Trolley)

Insulated
GBIRCUGN11F
(1/1 GN Trolley)

GBIRCUGN21F
(2/1 GN Trolley)



Pan Stop

- Locks in place to secure pans on rails, especially during transport.
- Available for full and half size trolleys. Quick and easy to install.

UGNPRPSF (full size)

UGNPRPSH (half size)



Camshelving® GN Food Pan 1/1 Trolleys

Full Size Trolley

Holds 18 each GN 1/1 Food Pans, 6,5 cm Deep

Half Size Trolley


Holds 9 each GN 1/1 Food Pans, 6,5 cm Deep

Features & Benefits

- Multi-purpose, end load trolley for holding, storing and transporting bulk food in GN food pans. Compact, slim design maximizes working space and storage space.
- Made from an extremely strong, revolutionary composite material with a smooth, easy to clean surface.
- Lifetime warranty against rust and corrosion.
- No metal parts, welds, screws, cross bars or metal casters than can break, bend, dent, rust or corrode.
- Moves easily between kitchen, freezer, cooler and/or off premise.
- Rails accept/hold hot pans from ovens up to 200°C.
- No marking or metal wipe from metal pans.
- Wide 7,6 cm rail spacing offers greatest versatility and ease of use.
- Top frame features molded in supports to hold a single GN 1/1 Food Pan to cover and protect contents below. Convert the half size unit into a light duty workstation by placing a GN 1/1 cutting board on the top frame.
- Molded in lip load rails (food pan flange hangs from rails) for food pans.
- Molded in 3 mm pan stops on each rail end help keep pans on the rails when turning or transporting.
- Food pan holding capacity:

	6,5 cm	10 cm	15 cm	20 cm
Full Size Trolley				
1/1 Pans	18 each	9 each	9 each	6 each
1/2 Pans	36	18	18	12
1/3 Pans	54	27	27	18
Half Size Trolley				
1/1 Pans	9	4	4	3
1/2 Pans	18	8	8	6
1/3 Pans	27	12	12	9


- Weight bearing per rail set is 18 kg. Full size unit weight bearing is 340 kg. Half size unit weight bearing is 170 kg.
- Four each heavy duty, 12,7 cm premium plastic swivel casters all with total locking brake. Locks swivel and wheel. Non-marking thermoplastic rubber wheel. Rust and corrosion free.
- Easy to clean. Wipe down or pressure wash.
- Ships knockdown with casters and bottom frame wedges factory installed. Minimal assembly required.
- Components are easy to remove and replace if damaged, ensuring a lifetime of service.
- Optional accessories include Food Pans and Flat Covers. Full Size Vinyl Cover and Rail Pan Stop coming soon.
- Available in 1 color only – Speckled Gray (480).
- Patent pending.



UGNPR11F18
Full Size Trolley



UGNPR11H9
Half Size Trolley



Specifications

CODE	DESCRIPTION	LOAD CAPACITY	Dimension Tolerance: +/- 0,64 cm	
			DIMENSIONS L X W X H*	UNIT WEIGHT
UGNPR11F18	Full Size Trolley	340 kg	73,03 x 43,8 x 170,7 cm	24,56 kg
UGNPR11H9	Half Size Trolley	170 kg	73,03 x 43,8 x 101,6 cm	15,28 kg

* Includes 12,7 cm Casters.

Optional Accessories

- Full Size Vinyl Cover ☐ GBCTUGNPR11
 GN 1/1 Trolley Insulated Cover ☐ GBIRCUGN11F

Standard Colors

- ☐ Speckled Grey (480).
☐ Black (110).

Architect Specs

Mobile Posts: Proprietary non-corrosive composite material. Post Connector Frames: Reinforced nylon. Side Rail Panels: Proprietary non-corrosive composite material and reinforced polypropylene. Post Connector Frame Wedges: Reinforced polypropylene.

Casters: 12,7 cm, plastic nylon frame, metal stem, non-marking thermoplastic wheel, with total locking brake. Units ship knockdown with casters and bottom post connector frame wedges factory assembled onto posts. Holds GN 1/1, 1/2 and 1/3 size food pans. Weight bearing per rail set is 18 kg. Full size unit weight bearing is 340 kg. Half size unit weight bearing is 170 kg. Lifetime warranty against rust and corrosion. Unit color is Speckled Gray (480).
 Patent pending.

Camshelving® GN Food Pan 2/1 Trolleys

Full Size Trolley

Holds 36 each GN 1/1 Food Pans, 6,5 cm Deep

Half Size Trolley

Holds 18 each GN 1/1 Food Pans, 6,5 cm Deep

Features & Benefits

- Multi-purpose, side load trolley for holding, storing and transporting bulk food in GN food pans. Compact design maximizes work and storage space.
- Made from an extremely strong, revolutionary composite material with a smooth, easy to clean surface.
- Lifetime warranty against rust and corrosion.
- No metal parts, welds, screws, cross bars or metal casters than can break, bend, dent, rust or corrode.
- Moves easily between kitchen, freezer, cooler and/or off premise.
- Rails accept/hold hot pans from ovens up to 200°C.
- No marking or metal wipe from metal pans.
- Wide 7,6 cm rail spacing offers greatest versatility and ease of use.
- Top frame features molded in supports to hold two each GN 1/1 Food Pans to cover and protect contents below.
- Molded in lip load rails (food pan flange hangs from rails) hold 2 each food pans per rail set.
- Molded in 3 mm pan stops on each rail end help keep pans on the rails when turning or transporting.
- Food pan holding capacity:

	6,5 cm	10 cm	15 cm	20 cm
Full Size Trolley				
1/1 Pans	36 each	18 each	18 each	12 each
Half Size Trolley				
1/1 Pans	18	8	8	6


- Weight bearing per rail set is 36 kg. Full size unit weight bearing is 340 kg. Half size unit weight bearing is 170 kg.
- Four each heavy duty, 12,7 cm premium plastic swivel casters all with total locking brake. Locks swivel and wheel. Non-marking thermoplastic rubber wheel. Rust and corrosion free.
- Easy to clean. Wipe down or pressure wash.
- Ships knockdown with casters and bottom frame wedges factory installed. Minimal assembly required.
- Components are easy to remove and replace if damaged, ensuring a lifetime of service.
- Optional accessories include Food Pans and Flat Covers. Full Size Vinyl Cover and Rail Pan Stop coming soon.
- Available in 1 color only – Speckled Gray (480).
- Patent pending.



UGNPR21F36
Full Size Trolley



UGNPR21H18
Half Size Trolley



Specifications

CODE	DESCRIPTION	LOAD CAPACITY	Dimension Tolerance: +/- 0.64 cm	
			DIMENSIONS L X W X H*	UNIT WEIGHT
UGNPR21F36	Full Size Trolley	340 kg	83,5 x 64,5 x 170,7 cm	27,68 kg
UGNPR21H18	Half Size Trolley	170 kg	83,5 x 64,5 x 101,6 cm	17,14 kg

* Includes 12,7 cm Casters.

Optional Accessories

Full Size Vinyl Cover	<input type="checkbox"/> GBCTUGNPR21
GN 2/1 Trolley Insulated Cover	<input type="checkbox"/> GBIRCUGN21F

Standard Colors

<input type="checkbox"/> Speckled Grey (480).
<input type="checkbox"/> Black (110).


Architect Specs

Mobile Posts: Proprietary non-corrosive composite material. Post Connector Frames: Reinforced nylon. Side Rail Panels: Proprietary non-corrosive composite material and reinforced polypropylene. Post Connector Frame Wedges: Reinforced polypropylene. Casters: 12,7 cm, plastic nylon frame, metal stem, non-marking thermoplastic wheel, with total locking brake. Units ship knockdown with casters and bottom post connector frame wedges factory assembled onto posts. Holds GN 1/1 size pans only. Weight bearing per rail set is 36 kg. Full size unit weight bearing is 340 kg. Half size unit weight bearing is 170 kg. Lifetime warranty against rust and corrosion. Unit color is Speckled Gray (480). Patent pending.

Ultimate 6040 Bakery Trolley

Say goodbye to bent rails, rusty casters, and maneuverability challenges with our innovative range of trolleys. Built to last and enhance your kitchen workflow, these state-of-the-art trolleys offer unparalleled durability and efficiency, making them an essential addition to any foodservice operation.

- Made from highly durable, composite plastic materials.
- Virtually unbreakable and 100% warranted against rust and corrosion.
- Low maintenance - no broken welds, dents, or sharp edges and easy to clean.
- For use in coolers, freezers, blast chillers or proofing/retarding cabinets.
- Thermal resistance from -40°C to 177°C.
- Slide hot food pans directly onto rails from ovens up to 200°C.



NEW Extended Rail
Slides Hold 60 x 40
Bakery Sheet Pans or
60 x 40 Food Pans!



- Full-size holds up to 18 each 60 x 40 pans.
- Half-size holds up to 9 each 60 x 40 pans.





Rail
Spacing:
7,7 cm



Metal-on-metal



Pan Stop

- Locks in place to secure pans on rails, especially during transport.
- Available for full and half size trolleys. Quick and easy to install.



Covers

- Protect contents held/ staged in kitchens, coolers, or freezers.

UPR6040CVR

For Full Size 6040 Trolley
72 x 55 x 154 cm

Color: Opaque (CLR).

GBIC6040

Insulated Cover
For Full Size 6040 Trolley
72 x 55 x 154 cm

Color: Black (110).



UGNPRPSF

For Full Size Trolleys

UGNPRPSH

For Half Size Trolleys

Color: Speckled Gray (480).

Ultimate 6040 Bakery Trolley

Full Size Trolley


Holds 18 each 60 x 40 Pans

Half Size Trolley


Holds 9 each 60 x 40 Pans

Features & Benefits

- Multi-purpose, end load trolley for holding, storing and transporting bulk food in 60 x 40 Sheet Pans or Food Pans. Compact, slim design maximizes working space and storage space.
- Made from an extremely strong, revolutionary composite material with a smooth, easy to clean surface.
- Lifetime warranty against rust and corrosion.
- No metal parts, welds, screws, cross bars or metal casters than can break, bend, dent, rust or corrode.
- Moves easily between kitchen, freezer, cooler and/or off premise.
- Rails accept/hold hot pans from 200°C oven.
- No marking or metal wipe from metal pans.
- Wide 7,7 cm rail spacing offers greatest versatility and ease of use.
- Top frame features molded in supports to hold a single 60 x 40 Pan to cover and protect contents below.
- Molded-in 3 mm pan stops on each rail end help keep pans on rails during light transport.
- 60 x 40 Pan Holding Capacity:
Full Size: 18 each
Half Size: 9 each
- Weight bearing per rail set is 18 kg.
Full Size unit weight bearing is 340 kg.
Half Size unit weight bearing is 170 kg.
- Four each heavy duty, 12,7 cm premium plastic swivel casters all with total locking brake. Locks swivel and wheel. Non-marking thermoplastic rubber wheel. Rust and corrosion free.
- Easy to clean. Wipe down or pressure wash.
- Ships knockdown with casters and bottom frame wedges factory installed. Minimal assembly required.
- Components are easy to remove and replace if damaged, ensuring a lifetime of service.
- Optional accessories include Full Size Vinyl Cover and Pan Stops.
- Available in 1 color only – Speckled Gray (480).
- Patent pending.



UPR6040XF18
Full Size Trolley




UPR6040XH9
Half Size Trolley



COMPONENTS





Specifications

Dimension Tolerance: +/- 0,64 cm

CODE	DESCRIPTION	LOAD CAPACITY	DIMENSIONS D X W X H*	UNIT WEIGHT
UPR6040XF18	Full Size Trolley	340 kg	69,8 x 51,6 x 172,3 cm	26,1 kg
UPR6040XH9	Half Size Trolley	170 kg	69,8 x 51,6 x 101,4 cm	16,3 kg

* Includes 12,7 cm Casters.

Optional Accessories

Full Size Vinyl Cover	<input type="checkbox"/> UPR6040CVR
Full Size Insulated Cover	<input type="checkbox"/> GBIC6040
Full Size Pan Stop	<input type="checkbox"/> UGNPRPSF
Half Size Pan Stop	<input type="checkbox"/> UGNPRPSH

Standard Color

- ☐ Speckled Gray (480).
- ☐ Black (110).

Architect Specs

Mobile Posts: Proprietary non-corrosive composite material. Post Connector Frames: Reinforced nylon. Side Rail Panels: Proprietary non-corrosive composite material and reinforced polypropylene. Post Connector Frame Wedges: Reinforced polypropylene. Casters: 12,7 cm, plastic nylon frame, metal stem, non-marking thermoplastic wheel, with total locking brake. Units ship knockdown with casters and bottom post connector frame wedges factory assembled onto posts. Full Size unit holds up to 18 each 60 x 40 Pans. Half Size unit holds up to 9 each 60 x 40 Pans. Weight bearing per rail set is 18 kg. Full Size unit weight bearing is 340 kg. Half Size unit weight bearing is 170 kg. Lifetime warranty against rust and corrosion. Unit color is Speckled Gray (480). Patent pending.

Camshelving® Elevation Series Wall Shelving

Unmatched Durability, Lifetime Use

Easy To Clean
Ultra Hygienic



Kits Ship All In 1 Box

Elevate your wall storage with a new vertical storage system that will never rust, corrode, peel or dent. Choose from standard Sink or Work Station Kits or customize your space with individual components, and a wide variety of Type 304 stainless steel accessories.

S H E L V I N G f o r L I F E

Lifetime warranty against rust and corrosion



NSF
COMPONENTS

camguard
ANTIMICROBIAL SHELF PLATES

SINK STATION KIT



Designed to endure harsh, wet environments in dish rooms and above sinks.

PREP STATION KIT



Outfit your kitchen work areas with a clean, well-organized vertical storage section that keeps tools, utensils, and dry ingredients within arm's reach.

TASK STATION KIT



Offers a blank canvas, giving you the ultimate flexibility to pick the accessories that work best for you.

FRESH PRO

CamRounds™

Food Storage Containers & Pails with Bails

Ergonomics




Top square design
makes pouring safe
and easy



Smooth stirring



Easy-to-carry handles



SEVEN SIZES
1,9 L to 20,8 L



Patent Applied For

Storage



CamSquares® can stack on top of CamRounds™ for maximum space-saving storage.



Spill-proof FreshPro seal cover




Efficiency

FreshPro CamRounds & FreshPro CamSquares share the same lids.



Color-coded matching seal covers, drain shelves, and graduation marks.



Industry-first drain shelves

Drain Shelves

CODE	DESCRIPTION	COLOR
2RFSFPDPP265	Fits 1,9 & 3,8 L	Translucent Green (265)
6RFSFPDPP266	Fits 5,7 & 7,6 L	Translucent Red (266)
12RFSFPDPP267	Fits 11,4, 17,2 & 20,8 L	Translucent Blue (267)

Case Pack: 6

Translucent Polypropylene Food Storage Containers


CODE	CAPACITY	DIMENSIONS (L x W x H)
2RFSPROPP	1,9 L	19,1 x 19,1 x 10,7 cm
4RFSPROPP	3,8 L	19,1 x 19,1 x 20,6 cm
6RFSPROPP	5,7 L	22,9 x 22,9 x 20,6 cm
8RFSPROPP	7,6 L	22,9 x 22,9 x 26,4 cm
12RFSPROPP	11,4 L	28,9 x 28,9 x 22,6 cm
18RFSPROPP	17,2 L	28,9 x 28,9 x 33,8 cm
22RFSPROPP	20,8 L	28,9 x 28,9 x 41,2 cm

Case Pack: 6 Color: Translucent (190).

Translucent Polypropylene Pails With Bails

CODE	CAPACITY	DIMENSIONS (L x W x H)
PWB12PROPP	11,4 L	28,9 x 28,9 x 22,6 cm
PWB18PROPP	17,2 L	28,9 x 28,9 x 33,8 cm
PWB22PROPP	20,8 L	28,9 x 28,9 x 41,2 cm

Case Pack: 6 Color: Translucent (190).



FreshPro Seal Covers

CODE	DESCRIPTION	COLOR
SFC2FPPP	Fits 1,9 & 3,8 L	Translucent Green (265)
SFC6FPPP	Fits 5,7 & 7,6 L	Translucent Red (266)
SFC12FPPP	Fits 11,4, 17,2 & 20,8 L	Translucent Blue (267)

Case Pack: 6


**FRESH
PRO**

CamSquares®

Food Storage Containers in 2 Materials



7 Sizes
1,9 to 20,8 L



2 Materials

Polycarbonate & Polypropylene


Space Saving

Recessed Handles
Create

25%
MORE

Storage
Capacity

with 11,4 to 20,8 L CamSquares FreshPro
containers on a 1220 mm long shelf



FreshPro Seal Cover

- Easy on, easy off cover.
- Prevents spills.
- Extends food shelf life.



Curved Corners & Recessed Handles

- Curved corners for safe 4-sided pouring.
- Textured grip.
- Ergonomic handling.
- Easy to carry.



CODE	CAPACITY	DIMENSIONS L x W x H
Polycarbonate		
2SFSPROCW	1,9 L	19,1 x 19,1 x 9,8 cm
4SFSPROCW	3,8 L	19,1 x 19,1 x 18,3 cm
6SFSPROCW	5,7 L	22,9 x 22,9 x 18 cm
8SFSPROCW	7,6 L	22,9 x 22,9 x 24,3 cm
12SFSPROCW	11,4 L	28,9 x 28,9 x 21,6 cm
18SFSPROCW	17,2 L	28,9 x 28,9 x 32,7 cm
22SFSPROCW	20,8 L	28,9 x 28,9 x 40,1 cm
Polypropylene		
2SFSPROPP	1,9 L	19,1 x 19,1 x 9,8 cm
4SFSPROPP	3,8 L	19,1 x 19,1 x 18,3 cm
6SFSPROPP	5,7 L	22,9 x 22,9 x 18 cm
8SFSPROPP	7,6 L	22,9 x 22,9 x 24,3 cm
12SFSPROPP	11,4 L	28,9 x 28,9 x 21,6 cm
18SFSPROPP	17,2 L	28,9 x 28,9 x 32,7 cm
22SFSPROPP	20,8 L	28,9 x 28,9 x 40,1 cm

Case Pack: 6 Polycarbonate Color: Clear (135).
Polypropylene Color: Translucent (190).

FreshPro Seal Covers

CODE	DESCRIPTION	COLOR
SFC2FPPP	Easy Seal Cover - Fits 1,9 & 3,8 L	Translucent Green (265)
SFC6FPPP	Easy Seal Cover - Fits 5,7 & 7,6 L	Translucent Red (266)
SFC12FPPP	Easy Seal Cover - Fits 11,4, 17,2 & 20,8 L	Translucent Blue (267)

Case Pack: 6

Drain Shelves

CODE	DESCRIPTION	COLOR
2SFSPDPP	Fits 1,9 & 3,8 L	Translucent Green (265)
6SFSPDPP	Fits 5,7 & 7,6 L	Translucent Red (266)
12SFSPDPP	Fits 11,4, 17,2 & 20,8 L	Translucent Blue (267)

Case Pack: 6

Promotes Sanitary Drying



Cross stacking allows
sanitary drying



Maximizes Freshness



Extends shelf life by

2 DAYS



Drain Shelf

FreshPro CamRounds & FreshPro CamSquares share the same lids.



Color-Coded Efficiency

Matching covers, drain shelves
and graduation marks



1,9 L / 3,8 L

5,7 L / 7,6 L

11,4 L / 17,2 L / 20,8 L



Scan QR for
More Information



Patent Applied For

The Reusable and Sustainable Solution



INDUSTRY-FIRST

Commercial Grade

0,47 &
0,95 L
TRANSLUCENT

**CamSquares®
FreshPro**



Sustainable

Reusable replacement
for single-use
containers



Easy Seal Cover

Stays firmly in place
Prevents spills
Extends food shelf life
Easy on, easy off cover
Peg hole for sanitary drying



**One Cover Fits Both
Container Sizes**

Ideal for

Fresh herbs & fruit
Spice blends
Condiments & sauces
Pickled products
Kimchi
Ginger



One-Handed Carry



Personalization

CODE	DESCRIPTION	DIMENSIONS L x W x H
1HFPR04PKI190	8 Piece Set Retail Package	133,4 x 133,4 x 250,8 mm
1HFPR04PKIPL190	Full Pallet	1200 x 800 x 1150 mm
Master Carton: 12 Color: Translucent (190).		

CODE	CAPACITY	DIMENSIONS L x W x H
HFSFSPROPP	0,47 L	12,4 x 12,4 x 6,5 cm
1SFSPROPP	0,95 L	12,4 x 12,4 x 11,9 cm
SFC1FPPP	Easy Seal Cover - Fits 0,47 & 0,95 L	
Case Pack: 6	Color: Translucent (190).	

Camliter[®] with Flip Cap

Easy Pouring with a Simple Flip!

- Excellent Seal: Screw top with Flip Cap for superior freshness and easy transport.
- Ease of Use: Convenient pouring with a simple flip.
- Versatility: Perfect for serving wine, juice, soda, milk, or water.
- Custom Personalization: Add your logo to promote your brand.
- Two Sizes: Available in 750 mL and 1000 mL bottles.
- Universal Flip Cap: One cap (WW1000LT) fits both bottle sizes.



BOTTLE ONLY

Flip Cap & Bottle are Sold Together

CODE	DESCRIPTION	DIMENSIONS
WW1000T	1000 mL Bottle with Flip Cap	26,2 cm H (includes cap)
WW750T	750 mL Bottle with Flip Cap	24,02 cm H (includes cap)
WW1000LT	Flip Cap Only*	Max Diameter: 8,89 cm

Case Pack: 12 Bottle Color: Clear (135). Flip Cap Color: White (190).

*Flip Cap fits models WW1000T and WW750T.



Color-Coded SafeTRAK[®] GN Food Pans



Built-In Labeling for Safer Storage

- Made from FDA-approved, BPA, BPS, and PFAS free material.
- Meets Worldwide Gastronorm (GN EN 631-1) food pan specifications.
- Translucent material provides content visibility and high chemical resistance.
- Available in 6 sizes.
- Six color-coded lids are available for every container size, matching the food types shown on the label.

The most hygienic way
to label, store & serve

6

LID COLORS



SIZES

GN 1/1 to GN 1/9



SafeTrak Pen

Won't smudge during use.
Comes off when washed.




Translucent GN pans made from FDA-Approved, BPA-, BPS-, and PFAS-free material provide at-a-glance visibility, delivering reliable performance across storage, preparation, and service applications.

Eliminate waste, reduce risk, & simplify compliance.


- Permanently molded-in label will never peel, fade, or smudge.
- HACCP-compliant design allows you to write key traceability information straight onto the pan for safe and consistent food tracking.
- 6 Color-Coded Seal Covers help prevent cross-contamination by clearly identifying food types.

FULL SIZE




CONFIGURATIONS	PRODUCT CODE	PAN DEPTH (cm)	CAPACITY (L)
GN 1/1 32,5 x 53 cm	12PPT	6,5	8,5
	14PPT	10	13
	16PPT	15	19,5
	18PPT	20	25,6
	10PPCWSC	—	Seal Cover
	10PPCWST6C	—	Seal Cover Multi-Pack

HALF SIZE




GN 1/2 26,5 x 32,5 cm	22PPT	6,5	3
	24PPT	10	5,9
	26PPT	15	8,9
	28PPT	20	11,7
	20PPCWSC	—	Seal Cover
	20PPCWST6C	—	Seal Cover Multi-Pack

ONE THIRD SIZE




GN 1/3 17,6 x 32,5 cm	32PPT	6,5	2,4
	34PPT	10	3,6
	36PPT	15	5,3
	38PPT	20	6,9
	30PPCWSC	—	Seal Cover
	30PPCWST6C	—	Seal Cover Multi-Pack

QUARTER SIZE




GN 1/4 16,2 x 26,5 cm	42PPT	6,5	1,7
	44PPT	10	2,5
	46PPT	15	3,7
	40PPCWSC	—	Seal Cover
	40PPCWST6C	—	Seal Cover Multi-Pack

ONE SIXTH SIZE



GN 1/6 16,2 x 17,6 cm	62PPT	6,5	1
	64PPT	10	1,5
	66PPT	15	2,2
	60PPCWSC	—	Seal Cover
	60PPCWST6C	—	Seal Cover Multi-Pack


ONE NINTH SIZE



GN 1/9 10,8 x 17,6 cm	92PPT	6,5	0,57
	94PPT	10	0,85
	90PPCWSC	—	Seal Cover
	90PPCWST6C	—	Seal Cover Multi-Pack

Case Pack: 6 Food Pan Color: Translucent (190).

Seal Cover Colors: Translucent (190), SafeTrak Red (544), SafeTrak Blue (545), SafeTrak Green (546), SafeTrak Yellow (547), SafeTrak Purple (548).



Translucent
(190)



SafeTrak Blue
(545)



SafeTrak Yellow
(547)



SafeTrak Red
(544)



SafeTrak Purple
(548)



SafeTrak Green
(546)


Compact Adjustable Dish Caddy R-Series

ADCRC, ADCRC8PKG, ADCRC12PKG



Safely store and transport plates from 11,7 to 33 cm.[†]

[†] Note: Cannot be used to store square, rectangular or oval plates.



**Black
(110)**


**Save 20% More
Floor Space**

Compact Design with Unparalleled Capacity


Store more caddies and dishes in the same space, or keep the same quantity of caddies and dishes, and free up valuable space for other uses.

Smooth Maneuvering


Compact square design, with 2 rigid and 2 swivel casters, means easier transporting in and out of storage, up and down ramps and across carpet.




Compared to the Cambro ADCS Model



Model: ADCRC with 4 towers




Stacks of Dishes: 4
Holds up to 240 dishes
Dish Sizes: 24 – 33 cm




Stacks of Dishes: 5
Holds up to 300 dishes
Dish Size: 22,9 cm


Model: ADCRC8PKG with 8 towers




Stacks of Dishes: 5
Holds up to 300 dishes
Dish Sizes: 20,3 – 23,5 cm




Stacks of Dishes: 8
Holds up to 480 dishes
Dish Sizes: 15,2 – 19,7 cm




Model: ADCRC12PKG with 12 towers



Stacks of Dishes: 13 Holds up to 780 dishes
Dish Size: 13,3 – 14,6 cm



Stacks of Dishes: 13
Holds up to 780 dishes
Dish Sizes: 12,1 – 12,3 cm



Stacks of Dishes: 16
Holds up to 960 dishes
Dish Size: 11,7 cm

Holds up to 60 dishes per stack. Capacities are approximate and will vary depending upon thickness and shape of dishes. Cannot be used to store square, rectangular or oval plates.

CODE	DESCRIPTION	PLATE SIZE	DIMENSIONS W x D x H	UNIT WEIGHT
ADCRC	Adjustable Dish Caddy R-Series, 4 Towers	24 cm - 33 cm	76 x 76 x 84 cm	27 kg
ADCRC8PKG*	Adjustable Dish Caddy R-Series, 8 Towers	15,24 - 23,5	—	31,3
ADCRC12PKG**	Adjustable Dish Caddy R-Series, 12 Towers	11,75 – 14,6	—	35,6
ADCRC14	Towers - 4 Each	—	—	4,31

Case Pack: 1 Color: Black (110), Slate Blue (401), Dark Brown (131). * Ships in 2 separate cartons. ** Ships in 3 separate cartons.

† **Note:** Cannot be used to store square, rectangular or oval plates.

Standard Colors

□ Black (110). □ Slate Blue (401). □ Dark Brown (131).

Architect Specs

The dish storage and transport cart shall be a Compact Adjustable Dish Caddy R-Series, Model ADCRC, ADCRC8PKG, ADCRC12PKG, manufactured by Cambro Mfg. Co., It shall be made of a single molded body of rotomold polyethylene. It shall have 4, 8, or 12 top adjusting towers. It shall have a dish stacking height of 52 cm per tower and can store up to 60 dishes, round only, based on dish type/style. It shall hold 11,7 - 33 cm diameter dishes. Manufactured by Cambro Mfg. Co., Huntington Beach, CA, 92648. Each tower includes an internal zinc plated 1,3 x 59 cm threaded metal rod for stability.

It shall have 4 each 12,7 cm plated casters, 2 swivel with brake, and 2 rigid, with non-marking, highly-durable 3 cm polyurethane tread. It shall have 2 each molded-in top handles on 2 sides. It shall have a load capacity of up to 227 kg. It shall include one vinyl cover. It shall be available in 3 colors, Black (110), Slate Blue (401), and Dark Brown (131).

Compact Adjustable Dish Caddy S-Series

ADCSC, ADCSC8PKG, ADCSC12PKG

- Space saving design holds dishes of various sizes without compromising capacity.
- Lightweight, easy to maneuver and access from all four sides.
- Conveniently adjust and lock CamLever towers from the top.
- Single molded body made of heavy-duty, durable polyethylene won't rust, crack, dent or chip.



Safely store and transport plates from 11,7 to 30,5 cm.



Vinyl Cover Included

Cover protects clean dishes and includes a 7,6 x 12,7 cm inventory/event identification label pocket.





Patented CamLever Tower

Lift lever from top to easily reposition tower, and then simply lock it in place.




Save 30% more floor space ADCSC vs. ADCS






Model: ADCSC with 4 towers




Stacks of Dishes: 4
Holds up to 280 dishes
Dish Sizes: 23,5 - 30,5 cm




Stacks of Dishes: 5
Holds up to 350 dishes
Dish Size: 22,9 cm


Model: ADCSC8PKG with 8 towers




Stacks of Dishes: 5
Holds up to 350 dishes
Dish Sizes: 19,7 - 22,2 cm




Stacks of Dishes: 8
Holds up to 560 dishes
Dish Sizes: 14,6 - 19,1 cm




Model: ADCSC12PKG with 12 towers



Stacks of Dishes: 13
Holds up to 910 dishes
Dish Size: 14 cm



Stacks of Dishes: 13
Holds up to 910 dishes
Dish Sizes: 12,1 - 13,3 cm



Stacks of Dishes: 16
Holds up to 1,120 dishes
Dish Size: 11,7 cm

Holds 45 - 70 dishes per stack. Capacities are approximate and will vary depending upon thickness and shape of dishes.

Specifications

Dimension Tolerance: +/- 0,64 cm

CODE	DESCRIPTION	PLATE SIZE	DIMENSIONS W x D x H	UNIT WEIGHT
ADCSC	Adjustable Dish Caddy, 4 Towers	22,9 - 30,5 cm	68,6 x 68,6 x 80,7 cm	35,2 kg
ADCSC8PKG*	Adjustable Dish Caddy, 8 Towers	14,6 - 22,2	68,6 x 68,6 x 80,7	42,1
ADCSC12PKG**	Adjustable Dish Caddy, 12 Towers	11,7 - 14	68,6 x 68,6 x 80,7	48,9
ADCSC14	CamLever Tower - 4 Each	—	6,7 x 11,1 x 59,7	1,6

Case Pack: 1 Color: Speckled Gray (480). * Ships in 2 separate cartons. ** Ships in 3 separate cartons.

Standard Colors

□ Speckled Gray (480).

Architect Specs

The dish storage and transport cart shall be a Compact Adjustable Dish Caddy S-Series, Model ADCSC, ADCSC8PKG, ADCSC12PKG, manufactured by Cambro Mfg. Co., Huntington Beach, CA, 92648. It shall be made of a single molded body of structural web molded polyethylene. It shall have 4, 8 or 12 top adjusting patented CamLever Towers. CamLever Tower is covered by U.S. Patent D 844,928 S. Each tower includes an internal zinc plated 1,3 x 57,8 cm threaded metal rod for stability. It shall have a dish stacking height of 52,1 cm per tower and can store up to 70 dishes, round only, based on dish type/style. It shall hold 11,7 - 30,5 cm diameter dishes.

It shall have 4 each 12,7 cm zinc plated casters, 2 swivel with brake and 2 rigid, with non-marking highly durable 3,2 cm TPE tread. It shall have 2 each molded in top handles and recessed handles on all 4 sides. It shall have a load capacity of up to 227 kg. It shall include one vinyl cover with top 7,6 x 12,7 cm identification pocket. It shall be available in 1 color, Speckled Gray (480).

Service Cart Pro[®]

Extreme Durability

Sleek, Modern Look

Space-Saving Design



SC225

Small

- Ideal for areas with limited work and storage space.



SC330

Medium

- Ideal for bussing tables.
- Closed-side model conceals contents to enhance bottom shelf security.



SC230



SC337

Large


- Store and transport larger items.
- Maximizes usable space.



QCSB

QCTB

Quick-Connect Bins



Specifications

Dimension Tolerance: +/- 0,64 cm

CODE	DESCRIPTION	TOTAL WEIGHT CAPACITY	INTERIOR SHELF DIMENSIONS L X W X H*	EXTERIOR SHELF DIMENSIONS L X W X H (WITH BOTH HANDLES)
SC337	Large Service Cart Casters: 2 Rigid, 2 swivel with brake	272 kg	87,1 x 55,1 x 25,8 cm	105,4 x 60,3 x 94,3 cm
SC337S	Large Service Cart Casters: 4 swivel with brake	272 kg	87,1 x 55,1 x 25,8 cm	105,4 x 60,3 x 94,3 cm
SC230	Medium Service Cart (open sides): 15,2 cm Casters: 2 Rigid, 2 Swivel	272 kg	77,4 x 53,5 x 25,8 cm	95,4 x 56 x 94,7 cm
SC230S	Medium Service Cart (open sides): 15,2 cm Casters: 4 Swivel	272 kg	77,4 x 53,5 x 25,8 cm	95,4 x 56 x 94,7 cm
SC330	Medium Service Cart (1 closed side): 15,2 cm Casters: 2 Rigid, 2 Swivel	272 kg	77,4 x 53,5 x 25,8 cm	95,4 x 56 x 94,7 cm
SC330S	Medium Service Cart (1 closed side): 15,2 cm Casters: 4 Swivel	272 kg	77,4 x 53,5 x 25,8 cm	95,4 x 56 x 94,7 cm
SC225S	Small Service Cart (open sides): 7,6 cm Casters: 4 Swivel	177 kg	65,3 x 43,3 x 25,8 cm	79,3 x 45,8 x 86,4 cm
SC225	Small Service Cart (open sides): 7,6 cm Casters: 2 Rigid, 2 Swivel	177 kg	65,3 x 43,3 x 25,8 cm	79,3 x 45,8 x 86,4 cm

*Height between shelves: 25,8 cm

Optional Accessories

9,5 L Small Quick Connect Bins ☐ QCSB

30,3 L Large Quick Connect Bins ☐ QCTB



Standard Service Cart Pro colors:

☐ Black (110) ☐ Dark Brown (131) ☐ Charcoal Gray (615).

Small and Large Quick Connect Bin colors:


☐ Black (110).

Architect Specs

The Service Cart Pro shall be Cambro model SC337 or SC337S. It shall be constructed of one-piece polyethylene with handles on each end of the cart. It shall be able to transport up to 272 kg. It shall have three shelves.

Each shelf shall have raised ridges to prevent contents from sliding off. Top shelf shall have raised marine rails all around, middle and bottom shelves shall have raised edges on one side to prevent contents from falling. Space opening between the shelves shall

be 25,82 cm. It shall have four each 15 cm non-marking plate casters, 2 rigid and 2 swivel with brake (SC337) or 4 swivel with brake (SC337S). It shall have molded in dovetails to attach optional Quick Connect Bins: small (9,5 L) and large (30,3 L) both in Black (110). The Service Cart Pro shall require no assembly and shall be available in Black (110), Brown (131) and Charcoal Gray (615).



Foldable Cam GoBox®

The Foldable, Space-Saving Box

100 mm

- Lightweight & impact-resistant
- For all industries.
- 100% recyclable.
- Food contact safe.

Foldable
in one piece with
integrated lid.

Stackable,
folded or unfolded,
for efficient storage.

**COLD TEMPERATURE
HOLDING TEST**

 **Holds Food
below 4°C
for 5 hours**



Easy
to fold up
& assemble

Product Certifications

MOCA, regulation EU1935/2004 Black Colour

REACH in compliance with REACH regulation n° 1907/2006

PFAS

CODE	DESCRIPTION	EXTERNAL DIM. L x W x H	INTERNAL DIM. L x W x H	WEIGHT
EPP160FD	Folding EPP Box	600 x 400 x 225 mm (100 mm Height When Folded)	550 x 350 x 175 mm	1.1 kg
PALLET ITEM CODE				
EPP160FDPL	Pallet of 88 Units Folding EPP Boxes	1200 x 800 x 2355 (2480 mm Total Height with Pallet)	—	96.8
Color: Black (110).				



Cam GoBox[®]

made for gelato delivery



EPP180XS

Cam GoBox - EPP180XS is the delivery solution that provides secure transport and temperature retention for to-go gelatos or ice cream.

- Cold holding up to 60 minutes.
- Lightweight & easy-to-carry design.
- Easy to clean & dishwasher safe.

The Cam GoBox[®] Range is Available for Gelato in All Sizes!



EPP180X



EPP180XL



EPP180XLT

Fits Disposable Sealed Dishes & Gelato Pans 13,8 cm deep.

Made of Expanded Polypropylene (EPP).

Cam GoBoxes use StoreSafe Labels and have a built-in label area for Plastic ID Label.

Recessed handles ease carrying and storage.

Cam GoBoxes inter-stack and also stack with other major competitive brands.



EPP180XS
 EXTERIOR: L 61 x W 43 x H 20,7 cm
 INTERIOR: L 54,8 x W 36,8 x H 13,8 cm
 UNIT WEIGHT: 1,07 kg
 VOLUME: 27,8 L
 Case Pack: 1 Color: Black (110).


TEMPERATURE RETENTION

60 MIN
Gelato

HOT/COLD
4+ Hours

Disposable Dish & Food Pan Holding Capacity

CAM GOBOXES	INNER HEIGHT CM	18 x 18 x 3 CM	19 x 20 x 6 CM	GN 1/1 FOOD PAN 10 CM DEEP
EPP180XS	13,8	24	12	1
EPP180X	20,5	36	24	2
EPP180XL	25	48	30	2
EPP180XLT	32	60	36	3



Rectangular Gastronorm Polypropylene Trays



Royal Gray (01)

Royal Blue (02)

Black (110)



CODE	DIMENSIONS	CASE PACK
SP3253	32,5 x 53 cm	12

Available in Royal Gray (01), Royal Blue (02), and Black (110).

- Quality construction with an attractive textured surface to hide scratches.
- Chemical Resistance - Excellent.
- Heat Resistance: -10°C to +80°C.



Beige (184)

Black (110)

Rectangular Euronorm Polypropylene Trays



CODE	DIMENSIONS	CASE PACK
3753PP	37 x 53 cm	12

Available in Beige (184), and Black (110).



THREE YEAR PRORATED
WARRANTY AGAINST
MANUFACTURER'S DEFECTS

Century™ Textured Wood Tray

- Ideal for use in high-traffic self-serve restaurants.
- Textured wood grain pattern covers both sides of tray from edge to edge.
- Lightweight, durable and hygienic.
- Made of high-performance polyester for intensive use.
- Scratch, stain, chemical and break-resistant.
- Temperature range resistance from -40° to 90° C.
- Dishwasher safe.

Century Textured

CODE	DIMENSIONS	CASE PACK
VTC3343T	33 x 43 cm	12
VTC3646T	35,5 x 45,7	12
VTC3253T	32,5 x 53	12
VTC3753T	37 x 53	12

Available in 5 woodgrain patterns.

Century Textured Clear Non-Slip Surface

CODE	DIMENSIONS	CASE PACK
VTC3343TNS	33 x 43 cm	12
VTC3646TNS	35,5 x 45,7	12
VTC3253TNS	32,5 x 53	12
VTC3753TNS	37 x 53	12

Available in 5 woodgrain patterns.

Light Oak (F86)

Brown Oak (F87)

Dark Oak (F88)

Light Olive (F89)

Brown Olive (F90)



FIVE YEAR PRORATED
WARRANTY AGAINST
MANUFACTURER'S DEFECTS


Low Profile Camtrays®

**Sleek Design
Light Weight
Space-Saving**

3 Textures

Non-Skid

For safe and
secure
handling



Glossy

For frequent
and easy
cleaning



Matte

For natural
wood look
and feel




Brand Impact

Personalize Low Profile
Trays with any logos or
images of your choice.

Best result with
light-colored trays,
please contact your sales
representative for detail.





1014DSLNS
1014DSL
1014DSLM

1317DSLNS
1317DSL
1317DSLM

1418DSLNS
1418DSL
1418DSLM



Non-Skid 2-YEAR WARRANTY

CODE	DESCRIPTION	DIMENSIONS	CASE PACK
1014DSLNS	Non-Skid Décor LP	27,9 x 35,2 cm	12
1317DSLNS	Non-Skid Décor LP	31,6 x 43 cm	12
1418DSLNS	Non-Skid Décor LP	35,5 x 45,9 cm	12

Colors: Charcoal Gray (815), Light Olive (820), Dark Oak (825), Light Oak (830), and Standard Colors: 123, 116, 110, 522, 505, 117, 221, 551, 501, 119, 510, 508, 414.

Glossy 5-YEAR WARRANTY

CODE	DESCRIPTION	DIMENSIONS	CASE PACK
1014DSL	Glossy Décor LP	27,9 x 35,2 cm	12
1317DSL	Glossy Décor LP	31,6 x 43 cm	12
1418DSL	Glossy Décor LP	35,5 x 45,9 cm	12

Colors: Charcoal Gray (815), Light Olive (820), Dark Oak (825), Light Oak (830), and all Standard Colors.

Matte 5-YEAR WARRANTY

CODE	DESCRIPTION	DIMENSIONS	CASE PACK
1014DSLM	Matte Décor LP	27,9 x 35,2 cm	12
1317DSLM	Matte Décor LP	31,6 x 43 cm	12
1418DSLM	Matte Décor LP	35,5 x 45,9 cm	12

Colors: Charcoal Gray (815), Light Olive (820), Dark Oak (825), Light Oak (830).




Custom Design

CAMSHELVING Configurator

Use our shelving configurator tool to create the perfect storage layout that maximizes every inch of your space. With our online configurator you can create a custom 2D and 3D design and detailed product quote.

<https://www.cambro.com/build/shelving>



Access our Digital Catalog



Scan the QR code or visit
cambro.com/catalog



CAMBRO
TRUSTED DURABILITY

www.cambro.com

CAMBRO U.S.A.
TEL: 1(714) 848-1555
FAX: 1(714) 230-4375

CAMBRO EUROPE
TEL: (49) 7022 90 100 0
FAX: (49) 7022 90 100 19
cambroeuropa@cambro.com

勘宝制造(惠州)有限公司
电话: +86-0752-2885018
传真: +86-0752-2885038
cambrochina@cambro.com

© Copyright Cambro Manufacturing Company. Printed in the U.S.A. 09/25
LITX25NPENQ3

1072502